

## External

High efficiency floor standing oil fired external boiler



The Premier External Floor Standing Boiler is designed for outside installation, and is manufactured for high performance with economical running costs. It is easy to install and fully servicable from the front, and incorporates a pressure jet burner for clean, quiet and efficient operation.

Sedbuk  
Band A



- Sedbuk band A rated - meets requirements of latest building regulations
- Two outputs available
  - 14.6kW to 26.3kW (50,000 - 90,000 Btu/hr)
  - 29.3kW to 36.6kW (100,000 - 125,000 Btu/hr)
- Casing: Totally weatherproof green textured stove enamel-finished galvanised mild steel
- Supplied as standard with integral flue: Low level rear & side discharge
- Supplied as standard: Frost thermostat and flue terminal guard
- All boilers can be used on sealed systems
- Please refer to installation instructions, available on request, before installing or specifying a EuroStar boiler



# Dimensions

## Specifications

Model	kW	A	B	Depth	Conventional flue size	Flow & return connections
<b>KITCHEN</b>						
50/90	14.6-26.3	460	855	600	4"	4x22mm compression
100/125	29.3-36.6	460	900	675	5"	4x22mm compression
<b>EUROTRADER</b>						
50/90	14.6-26.3	455	640	385*	4"	4x22mm compression
100/125	29.3-36.6	455	710	465*	5"	4x22mm compression
*Depth excluding burner						
<b>EXTERNAL</b>						
50/90	14.6-26.3	506	1005	705-980	N/A	3x22mm compression
100/125	29.3-36.6	506	1040	767-1040	N/A	3x22mm compression

Terminal guard 230mm from casing



# Fluing

## Balanced Flue - ROUND ONLY

Available on EuroStar Premier Kitchen & Eurotrader Models

Prod Code	HORIZONTAL FLUE INFORMATION WALL THICKNESS			
	Min	Rear Max	Side Min	Max
2350	13" (330mm)	24" (600mm)	7" (175mm)	18" (455mm)
2351	29" (730mm)	39" (1000mm)	23" (585mm)	33" (850mm)

Trianco offers a complete range of gas, electric, oil and solid fuel fired boilers to suit every installation. Ask your Trianco dealer for more information or call 0114 257 2300 to request a brochure.



Trianco Heating Products Limited, Thorncliffe, Chapeltown, Sheffield S35 2PH.  
t: 0114 257 2300 f: 0114 257 1419 email: info@trianco.co.uk web: www.trianco.co.uk

Copyright of all contents of this leaflet is vested in Trianco Heating Products Limited. Any part may not be reproduced without permission. The contents of this leaflet are accurate at the date of printing but, because Trianco has a policy of continual development, it may be superseded and should be disregarded if specifications or appearances are changed. The statutory rights of the customer are not affected.

ISSUE 2 06/06 XC990811



# Premier High Efficiency Oil fired condensing boilers



**Sedbuk  
Band A**





At Trianco we constantly strive to combine the best engineering technology with the most cost-effective construction techniques to create a state-of-the-art, affordable product. But we never overlook the main purpose of a central heating boiler - to provide the very best possible levels of comfort for you and your family in your home. This is why we offer such a wide and versatile range of oil fired heating products.

## Superb efficiency

But it's not only demands of the market that we have to observe. The Government are now recommending high efficiency condensing boilers in world-wide efforts to improve domestic energy consumption. So to this end we have redesigned and relaunched three of our most popular EuroStar floor standing models as condensing versions, all of which meet SEDBUK A ratings.



## Technologically Advanced

The improved performance is achieved by introducing a system which cools gas emissions to the point where heat, normally lost through the flue, is extracted and introduced back into the system. Advanced combustion technology also reduces harmful emissions into the atmosphere. This highly economical solution means that heating and hot water bills can now be reduced by up to 15-20% compared with a conventional new boiler, or up to 30% compared to an older boiler.

A common opinion is that condensing boilers are expensive to install and complicated to service, but at Trianco we have applied the most up-to-date technological resources to ensure that these reservations are overcome, so you have all the advantages of a conventional boiler, but with the added benefit of recouping the extra purchase cost in as little as two years.

Make way for the condensing oil-fired boiler revolution - in non-gas areas it's bringing heating back into the 21st Century.

For more information and full specifications for any of the products shown here, please contact our sales team on 0114 257 2300 or visit your local plumbers or builders merchant.

## TOTALLY FOCUSED ON THE HEATING MARKET

# Kitchen

High efficiency floor standing oil fired kitchen boiler



The Premier Kitchen boiler blends with both traditional and modern decor. All models are servicable from the front. Models up to 90,000 btus will fit neatly under a standard height work surface, and are available in standard or system versions, making them a popular choice for kitchen installations.



Sedbuk  
Band A

- Sedbuk band A rated - meets requirements of latest building regulations
- Two outputs available:
  - 14.6kW to 26.3kW (50,000 - 90,000 Btu/hr)
  - 29.3kW to 36.6kW (100,000 - 125,000 Btu/hr)
- 50 - 90 available as standard or system option
- Casing: Mild steel finished in a durable white stove enamel
- All boilers can be used on sealed systems
- Standard Flue: Conventional
- Flue Options: Balanced
- Please refer to installation instructions, available on request, before installing or specifying a EuroStar Premier boiler





# Eurotrader


High efficiency floor standing oil fired boiler



The Premier Eurotrader is a high quality oil fired boiler that delivers exceptional value for money. Ideal for garage or boiler house situations, the Premier Eurotrader is designed for high performance with economical running costs, is clean and efficient in use, and is easy to install and service.



- Sedbuk band A rated - meets requirements of latest building regulations
- Two outputs available
  - 14.6kW to 26.3kW (50,000 - 90,000 Btu/hr)
  - 29.3kW to 36.6kW (100,000 - 125,000 Btu/hr)
- All boilers can be used on sealed systems
- Standard Flue: Conventional
- Flue Options: Balanced
- Please refer to installation instructions, available on request, before installing or specifying a EuroStar Premier boiler



**plumbworld**  
**Big brands, small prices.**

Pdf Supplied By <http://www.plumbworld.co.uk/>