

REVISION DATE: 21st December 2007

Monoethylene Glycol

PERSONAL PRECAUTIONS

Follow precautions for safe handling described in this safety data sheet. Wear protective gloves. Avoid contact with skin and eyes. Provide adequate ventilation.

ENVIRONMENTAL PRECAUTIONS

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

SPILL CLEAN UP METHODS

Absorb with inert, damp, non-combustible material, then flush area with water. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Avoid inhalation of vapours and spray mists. Provide good ventilation.

STORAGE PRECAUTIONS

Keep containers tightly closed. Keep in original container.

STORAGE CLASS

Chemical storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
ETHANEDIOL	WEL		52 mg/m3(Sk)		104 mg/m3(Sk)

PROTECTIVE EQUIPMENT



RESPIRATORY EQUIPMENT

If ventilation is insufficient, suitable respiratory protection must be provided.

HAND PROTECTION

Use protective gloves.

EYE PROTECTION

Wear approved safety goggles.

OTHER PROTECTION

Wear rubber apron. Wear rubber footwear.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear liquid		
COLOUR	Colourless		
ODOUR	Mild		
SOLUBILITY	Soluble in water.		
BOILING POINT (°C)	198	MELTING POINT (°C)	-13
RELATIVE DENSITY	1.115	VAPOUR PRESSURE	<10 Pa 20
FLASH POINT (°C)	116 CC (Closed cup).	AUTO IGNITION	400
		TEMPERATURE (°C)	
PARTITION COEFFICIENT (N-Octanol/Water)	-1.36		

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

REVISION DATE: 21st December 2007

Monoethylene Glycol

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

MATERIALS TO AVOID

Strong oxidising substances.

HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of: Carbon.

11 TOXICOLOGICAL INFORMATION

TOXIC DOSE 1 - LD 50 >5000 mg/kg (oral rat)

INHALATION

Vapour may irritate respiratory system or lungs.

INGESTION

Harmful if swallowed.

SKIN CONTACT

Irritating to skin.

EYE CONTACT

Irritating to eyes.

12 ECOLOGICAL INFORMATION

LC 50, 96 Hrs, FISH mg/l >5000

MOBILITY

The product is soluble in water.

BIOACCUMULATION

The product is not bioaccumulating.

COD 1.22

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

Do not puncture or incinerate even when empty.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION

LABELLING



Harmful

CONTAINS

ETHANEDIOL

RISK PHRASES

R22 Harmful if swallowed.

SAFETY PHRASES

S2 Keep out of the reach of children

REVISION DATE: 21st December 2007

Monoethylene Glycol

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

CHIP for everyone HSG(108). Workplace Exposure Limits EH40.

16 OTHER INFORMATION

REVISION DATE 21st December 2007

REV. NO./REPL. SDS GENERATED 06

SDS NO. M027

SAFETY DATA SHEET STATUS

Approved.

DATE 21st December 2007

SIGNATURE Jitendra Panchal

RISK PHRASES IN FULL

R22 Harmful if swallowed.

plumbworld
Big brands, small prices.

Pdf Supplied By <http://www.plumbworld.co.uk/>