

Roxburgh

Single-ended 'slipper' bath



- Refined slipper bath
- 100% QUARRYCAST™
- unique solid surface material
- Easy clean high gloss finish
- Exterior and feet can be painted
- Suitable for classic or contemporary bathrooms

Options To Be Specified

Bath:

- **Predrilled tap holes.** 2 at 180mm centres
- **No tap holes.** Suitable for freestanding or wall mounted taps - or non-standard taps requiring bespoke on-site drilling of holes.

Feet:

- Decorative QUARRYCAST™ lion paw feet - White
- Decorative cast metal lion paw feet - Chrome or Gold
- Modern designer QUARRYCAST™ feet - White

Recommended Waste

K4 Plug and Chain - Gold or Chrome

NB: For the full range of Victoria & Albert waste kits and standpipes suitable for the Roxburgh, please refer to the price list




Note: For product specifications please see over

www.vandabaths.com



Roxburgh

Single-ended 'slipper' bath



General specifications for Roxburgh bath

Installed size	1710mm x 815mm x 624-740mm
Weight	60kg
Weight with water	260kg
Litres to overflow	200 litres
Bathing well at sump	970mm x 450
Bathing well at rim	1514mm x 638
Water depth to overflow	380mm

Notes

Refer to installation instructions supplied with bath for additional information. The feet supplied support sump of bath, no additional support required.

Fittings (taps & drain assembly) not included and must be ordered separately. If installing a floor mounted tap: refer to 'drilling tap holes' instructions before installation.

Provide suitable reinforcement for all supports.

Important

Dimension of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.4M.

These measurements are subject to change or cancellation.

No responsibility is assumed for use of superseded or void leaflet.

plumbworld
Big brands, small prices.

Pdf Supplied By <http://www.plumbworld.co.uk/>