

Warwick

Traditional double-ended bath



- Traditional freestanding design
- 100% QUARRYCAST™
- unique solid surface material
- Easy clean high gloss finish
- Can be used as a built-in bath without feet
- Exterior can be painted

Options To Be Specified

Bath:

- **Predrilled tap holes.** 2 at 180mm centres
- **No tap holes.** Suitable for freestanding or wall mounted taps - or non-standard taps requiring bespoke on-site drilling of holes.

Feet:

- Decorative QUARRYCAST™ small ball and claw feet
- White
- Decorative cast metal small ball and claw feet
- Chrome or Gold

Recommended Waste

K2 Plug and Chain - Gold or Chrome

NB: For the full range of Victoria & Albert waste kits and standpipes suitable for the Warwick, please refer to the price list




Note: For product specifications please see over

www.vandabaths.com



Warwick

Traditional double-ended bath



General specifications for Warwick bath

Installed size	1750mm x 800mm x 640mm
Weight	57kg
Weight with water	333 kg
Litres to overflow	276 litres
Bathing well at sump	324mm x 1114mm
Bathing well at rim	641mm x 1590mm
Water depth to overflow	413mm

Notes

Refer to installation instructions supplied with bath for additional information. Can be used as a built-in bath without feet. The feet supplied support sump of bath. no additional support required.

Fittings (taps & drain assembly) not included and must be ordered separately. If installing a floor mounted tap: refer to 'drilling tap holes' instructions before installation.

Provide suitable reinforcement for all supports.

Important

Dimension of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.4M.

These measurements are subject to change or cancellation.

No responsibility is assumed for use of superseded or void leaflet.

plumbworld
Big brands, small prices.

Pdf Supplied By <http://www.plumbworld.co.uk/>