

AQUALISA


DECO™ SQUARE DUAL OUTLET - MATT BLACK

DECO.SQR.
SC.MB

HP/COMBI

.....

DIMENSIONAL DRAWINGS



AQUALISA

DECO™ SQUARE DUAL OUTLET - MATT BLACK

DECO.SQR.
SC.MB

HP/COMBI

TECHNICAL SPECIFICATIONS

Minimum pressure requirements	1 Bar
Maximum pressure requirements	5 Bar
Inlet fitting connections	3/4" Threaded
Rear inlet supply positions	Hot/left, cold/right (as viewed from the front)
Hose connection	1/2" Thread
Valve inlet centres	150mm centres
Supply temperature	Hot Water Maximum: 65°C. Cold Water Minimum: 5°C
Water system	Combination boiler, balanced high pressure and gravity boosted (pumped) systems
Features	Separate temperature control with override button for extra safety
	Brass body
	Flow control with integral diverter to switch between shower heads
	Includes Easy fit bar valve fixing kit
	Soft rub shower head nozzles for easy cleaning
	Single spray pattern shower heads
	Height adjustable telescopic shower column 851mm - 1306mm
	220mm fixed drencher head, 70mm adjustable head
	1.5m matt black coated stainless steel hose
Colour	Matt Black
Guarantee period	Valve - 5 years (if the product is registered)
	Shower head and kit - 2 years

Check out our full range of Showers

Electric Showers

Digital Showers

Mixer Showers

Power Showers

Smart Showers

Shower Towers

From Top Shower Brands

Mira Showers

Aqualisa Showers

Triton Showers

Gainsborough Showers

Shower Pumps can upgrade your showering experience even more

Stuart Turner Shower Pumps

Salamander Shower Pumps

Grundfos Shower Pumps

plumbworld
Big brands, small prices.