
# AQUALISA LUMI™ ELECTRIC SHOWER



8.5KW WITH ADJUSTABLE HEAD - CHROME

**DIMENSIONAL DRAWINGS** 



## AQUALISA LUMI™ ELECTRIC SHOWER



#### 8.5KW WITH ADJUSTABLE HEAD - CHROME

TECHNICAL SPECIFICATIONS

Power   8.5kW     Minimum pressure   0.9 bar (@8lpm)     Maximum pressure   10 bar     Recommended Maximum pressure   3 bar     Water entry points   Bottom and rear right only     Cable entry points   Bottom and rear right only     Inlet fitting connections   15mm compression     Outlet fitting connections   112" BSP thread     Electrical requirements   Supply voltage 230 - 240V, MCB rating 40AMP     Water system   Mains cold     Intuitive single dial     Illuminated touch start/stop control     Rotary control     Heat safety features     Power on indication     Illuminated panel     105mm, 5 spray patterns     Colour   Chrome     Chrome     Cuarantee period   Shower unit - 2 years     Shower head and kit - 2 years     CE Marking (LVD; EMC)     BEAB     European Water Label     ERP Directive     ERP Directive		
Recommended Maximum pressure  Recommended Maximum pressure  3 bar  Water entry points  Bottom and rear right only  Inlet fitting connections  I5mm compression  Outlet fitting connections  1/2" BSP thread  Electrical requirements  Supply voltage 230 - 240V, MCB rating 40AMP  Water system  Mains cold  Intuitive single dial  Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Power	8.5kW
Recommended Maximum pressure  Water entry points  Bottom and rear right only  Inlet fitting connections  1/2" BSP thread  Cutlet fitting connections  1/2" BSP thread  Electrical requirements  Supply voltage 230 - 240V, MCB rating 40AMP  Water system  Mains cold  Intuitive single dial  Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Guarantee period  CE Marking (LVD; EMC)  BEAB  European Water Label	Minimum pressure	0.9 bar (@8lpm)
Water entry points Bottom and rear right only  Inlet fitting connections  Cutlet fitting connections  1/2" BSP thread  Electrical requirements Supply voltage 230 - 240V, MCB rating 40AMP  Water system Mains cold  Intuitive single dial Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication Illuminated panel  105mm, 5 spray patterns  Colour Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Maximum pressure	10 bar
Cable entry points  Inlet fitting connections  15mm compression  Outlet fitting connections  112° BSP thread  Electrical requirements  Supply voltage 230 - 240V, MCB rating 40AMP  Water system  Mains cold  Intuitive single dial  Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Recommended Maximum pressure	3 bar
Inlet fitting connections  Outlet fitting connections  1/2" BSP thread  Electrical requirements  Supply voltage 230 - 240V, MCB rating 40AMP  Water system  Mains cold  Intuitive single dial  Illuminated touch start/stop control  Rotary control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Water entry points	Bottom and rear right only
Outlet fitting connections  Electrical requirements  Supply voltage 230 - 240V, MCB rating 40AMP  Water system  Mains cold  Intuitive single dial  Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Cable entry points	Bottom and rear right only
Electrical requirements  Water system  Mains cold  Intuitive single dial  Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Inlet fitting connections	15mm compression
Water system  Mains cold  Intuitive single dial  Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Outlet fitting connections	1/2" BSP thread
Intuitive single dial  Illuminated touch start/stop control  Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Guarantee period  Approvals  CE Marking (LVD; EMC)  BEAB  European Water Label	Electrical requirements	Supply voltage 230 - 240V, MCB rating 40AMP
Illuminated touch start/stop control	Water system	Mains cold
Rotary control  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Features	Intuitive single dial
Features  Heat safety features  Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label		Illuminated touch start/stop control
Power on indication  Illuminated panel  105mm, 5 spray patterns  Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label		Rotary control
Illuminated panel		Heat safety features
Colour Chrome  Guarantee period Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label		Power on indication
Colour  Chrome  Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label		Illuminated panel
Shower unit - 2 years  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label		105mm, 5 spray patterns
Guarantee period  Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Colour	Chrome
Shower head and kit - 2 years  CE Marking (LVD; EMC)  BEAB  European Water Label	Guarantee period	Shower unit - 2 years
Approvals  European Water Label		Shower head and kit - 2 years
Approvals  European Water Label	Approvals	CE Marking (LVD; EMC)
European Water Label		BEAB
ERP Directive		European Water Label
		ERP Directive

### **Check out our full range of Showers**

Digital Showers	
Mixer Showers	
Power Showers	
Smart Showers	

**Shower Towers** 

**Electric Showers** 

#### **From Top Shower Brands**

Mira Showers

**Aqualisa Showers** 

**Triton Showers** 

**Gainsborough Showers** 

### Shower Pumps can upgrade your showering experience even more

**Stuart Turner Shower Pumps** 

Salamander Shower Pumps

**Grundfos Shower Pumps** 

