


SENSORFLOW WAVE

A6163AA

SENSORFLOW WAVE | Basin mixer 81.5x161x138 mm, 116 mm spout projection in chrome finish, 3.8 l/min (3 bar), no waste | EasyFix, Cool Body technology, Touchless control, SmartShine

Image & drawing

Armitage
Shanks



General information

Product type:	Washbasin mixers
Sub product type:	Basin mixer
Brand:	Armitage Shanks
Suite name:	SENSORFLOW WAVE
Designer:	Ideal Standard
Colour:	AA - Chrome
Surface finish effect:	glossy
Height (mm):	138
Width (mm):	81.5
Length / Projection (mm):	161
Fixing method:	EasyFix
Net weight (kg):	2.06
EAN code:	4015413332989

Minimum operating pressure 1 bar. Fitted with a proximity sensor which will automatically shut off 2 seconds after sensor no longer detects movement. Automatic flow stop factory set to operate after 55 seconds of continuous operation. Adjustable duty flush/purge facility. Consideration should be given to safe hot water delivery and the use of an appropriate temperature reduction device, please see A5900AA (for use with 15mm pipework) or A5901AA (for use with 22mm pipework. Mains powered Sensorflow products must be connected to a continuous permanent power supply of these require 220-240 volts and each 1 having its own fuse spur.

Features



EasyFix



Cool Body technology



Touchless control



SmartShine

Downloads

[Installation Guide](#)

[Spare Parts List](#)

Product standard & certifications

Additional standards: EN 248 | DIN 4109-1 | EN 15091

Product specifications

Amount of handles:	1
Blue Start technology:	No
Colour code:	AA
Colour description:	chrome
Cool Body technology:	Yes
Easy Fix technology:	Yes
Handle application:	Temperature control
Handle position:	Lateral
Includes a chain eye:	No
Integrated electronics:	Yes

SENSORFLOW WAVE

A6163AA

SENSORFLOW WAVE | Basin mixer 81.5x161x138 mm, 116 mm spout projection in chrome finish, 3.8 l/min (3 bar), no waste | EasyFix, Cool Body technology, Touchless control, SmartShine

Product specifications

Lead-free waterways:	Yes
Low-pressure model:	No
Material:	Metal
Material of handle:	Metal
Material quality:	Brass
Max. flow rate at 3 bar (l):	3.8
Max. flow rate at 3 bar (l) for all outlets:	3.8
Max. flow rate at 3 bar (l) for spout:	3.8
Max. operating pressure (bar):	8
Min. operating pressure (bar):	1
Nickel-free waterways:	Yes
Operating method:	Contactless
PVD technology:	No
SmartShine:	Yes
Spout model:	Fixed
Spout type:	Casted body
Surface cover:	chromium-plated
Surface finish effect:	glossy
Swivelling spout:	No
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	No
Touchless control:	Yes
Type of handle:	Rotary knob
Type of temperature control:	Manually operated
With drain plug:	No
With escutcheon(s):	No
With handle(s):	Yes
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Fixing method:	EasyFix
Mounting method:	Tap hole

Your local contact:

België • Belgique

Ideal Standard Produktions-GmbH
Corporate Village - Frame 21 Building
Da Vincilaan 2
B-1935 Zaventem
☎ +32 2 325 66 00
✉ +32 2 325 66 01
www.idealstandard.be

България

Идеал Стандарт - Видима АД
ул. "Марин Попов" 53
гр. Севлиево, 5400
☎ +359 885 938 880
✉ office@idealstandard.com
www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemská 623
41574 Teplice
☎ +420 (0)-417-265 11
✉ +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska
Lopatinečka ul. 8
10000, Zagreb
☎ +385 91 229 9304
www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS
Fynsvej 9
5500 Middelfart (Denmark)
☎ +45 75 84 10 10
www.idealstandard.dk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
☎ +49 (0)228 521-0
✉ +49 (0)228 521-241
✉ idealstandard.de@idealstandard.com
www.idealstandard.de

Éire

Ideal Standard Éire
2nd Floor, Unit 3103 Lake Drive Citywest
Business Campus Tallaght Dublin 24 YXW2
☎ +353 1 4564525
www.idealstandard.ie

España

Ideal Standard Iberia S.L.U
Riera Principal Nr. 8
08328 Alella (Barcelona - España)
☎ +34 93 561 80 00
www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:
Λ. Μεσογείων 265, 15451 Ν.
Ψυχικό, Αθήνα
☎ +2106790800
www.idealstandard.gr

France

Ideal Standard France - Siège social
39 Rue St. Sabin
75011 Paris
☎ +33 (0)1 49 38 81 34
✉ sav.idealstandard@idealstandard.com
(demandes techniques) /
devis.chantier@idealstandard.com
(demandes commerciales)
www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl
Via Giosuè Borsi 9
20143 Milano, Italia
☎ +39 (0)2 28881
✉ info@idealstandard.it
www.idealstandard.it

Nederland

Ideal Standard Nederland BV
Hambakenwetering 3
5231 DD 's-Hertogenbosch
☎ +31 (0)-77 355 08 08
✉ +31 (0)-77 354 21 86
www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131-135
1220 Wien Österreich
☎ +43 125 66 222-0
✉ +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska
Ul. Ostrowskiego 7
53-238 Wrocław
☎ +48 71 78 68 301
www.idealstandard.po

România

Ideal Standard Representative Office România
Calea Victoriei 109, Etaj 1, Sector 1
București, 010069
☎ +40 746 050 408
✉ officebucharest@idealstandard.com
www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD
Drinčićeva br.19, I sprat, stan br.8
11000 Beograd Srbija
☎ +381 11 7138 058
www.idealstandard.rs

United Kingdom

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
☎ +44 (0)-1482 346 461
✉ +44 (0)-1482 445 886
www.idealstandard.co.uk