

Series 9, Integrated Tall Single DishDrawer Dishwasher

Integrated




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- With extra height for taller dishes, and customisable internal shelving
- Knock to pause function is perfect if you miss a dish
- Quick wash, Sanitise and Extra Dry options provide superior performance
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

- Cutlery basket
- Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel	ADDD60STPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB

Door panel recessed handle stainless steel	ADDD60STNX	Internal wash selector	•	Wash Program Modifiers	
Door panel stainless steel	ADDD60STPX	Keylock	•	Extra Dry	•
Handle kit Classic	AHCL-DDDW-60X	Knock to pause	•	Quick	•
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Rinse aid indicator light	•	Sanitise	•
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX	Smart appliance	•	Wash modifiers	3
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB				
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Features		Wash Programs	
Handle kit Contemporary square, black	AHD3-OBDD-60B	Built-in water softener	•	Delicate	•
		Fan assisted drying	•	Eco	•
		Flood protection	•	Fast	•
		Flow through detergent dispenser	•	Heavy	•
		Motor type	BLDC	Medium	•
		Quiet operation	•	Rinse	•
		SmartDrive™ technology	•	Wash programs	6
Capacity and loading		Performance		Water connection	
Accommodates round plates up to	310mm	Noise emissions	43 dBA	Water pressure	100kPa - 1000kPa
Adjustable height, foldable cupracks	•			Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Fold down tines	•	Power requirements			
Pitch adjustable tines	•	Amperage	5A		
Place settings	6	Supply frequency	50Hz		
		Supply voltage	220 - 240V	SKU	82352
Consumption		Product dimensions			
Energy rating	F	Depth	553 mm		
Energy usage	61kWh/100 cycles	Height	454 mm		
In-use energy carbon emissions estimate	11.8kgCO2e/100 cycles	Width	599 mm		
Water usage (per wash cycle)	7.9L				
Controls					
Electronic fault/Diagnostic indicator	•				
End of cycle beeps	•				
Energy saving delay start option of up to 12 hours	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) DWG
- [↓](#) DXF
- [↓](#) Care & Maintenance Guide (English)
- [↓](#) Declaration of Conformity (English)
- [↓](#) Energy Label
- [↓](#) First Use Guide (English)
- [↓](#) Installation Guide (English)
- [↓](#) Planning Guide (English)
- [↓](#) Product Information Sheet
- [↓](#) Quick Start Guide (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Rhino Appliance with Door and Contemporary Square Handle
- [↓](#) Safety & Warnings (English)
- [↓](#) SketchUp
- [↓](#) SketchUp Appliance with Door and Contemporary Square Handle
- [↓](#) User Guide (English)
- [↓](#) Wash Program Data (English)
- [↓](#) Installation Video

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000 886 605 W www.fisherpaykel.com

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.