





**AddStoris** 41745XXX




**AddStoris** 41772XXX




**AddStoris** 41773XXX




**AddStoris** 41770XXX




**AddStoris** 41754XXX



**AddStoris** 41753XXX




**AddStoris** 41774XXX




**AddStoris** 41775XXX




**AddStoris** 41749XXX




**AddStoris** 41771XXX




**AddStoris** 41759XXX



**AddStoris** 41756XXX



**AddStoris** 41752XXX




**AddStoris** 41744XXX




**AddStoris** 41747XXX



**AddStoris** 41746XXX




**AddStoris** 41743XXX



**AddStoris** 41741XXX



**AddStoris** 41748XXX



**AddStoris** 41751XXX




## Safety Notes

- △ Gloves should be worn during installation to prevent crushing and cutting injuries.
- △ Intended use of the handle 41744XXX: The handle is not a medical product, it is not intended for physically impaired persons, but only for general private use.
- △ Use only the handle 41744XXX for support, the remaining products are not intended to be used as supports.
- △ Check the proper attachment and tight seating of the installed products periodically (annually).

## Installation Instructions

- Prior to installation, inspect the product for transport damages. After it has been installed, no transport or surface damage will be honoured.
- Where the contractor mounts the product, he should ensure that the entire area of the wall to which the mounting plate is to be fitted, is flat (no projecting joints or tiles sticking out), that the structure of the wall is suitable for the installation of the product and has no weak points. The enclosed screws and dowels are only suitable for concrete. For another wall constructions the manufacturer's indications of the dowel manufacturer have to be taken into account.
- 41773XXX, 41774XXX: The bonding surfaces must be clean, dry, wax and grease-free, able to bear weight and free of release agents. In most case it is best to wipe down the surface with a clean dry cloth. Do not use any conventional cleansers containing releaseagents. If necessary, use an alcohol cleaner or in the case of waxy natural stone, use a wax-removing cleaner. Rub this off with a clean, dry cloth before it evaporates.

## Symbol description

 Do not use silicone containing acetic acid!

 **Spare parts** (see page 26)

 **Cleaning** (see page 28)






 **Operation** (see page 21)

Lift off pump and lid for filling and cleaning.




## AddStoris

41744XXX










**AddStoris**  
41743XXX








**AddStoris**  
41747XXX






**AddStoris**  
41751XXX






### AddStoris

41745XXX




### AddStoris

41746XXX




### AddStoris

41753XXX




### AddStoris

41749XXX




### AddStoris

41752XXX




### AddStoris

41756XXX




### AddStoris

41754XXX




### AddStoris

41771XXX




### AddStoris

41772XXX




### AddStoris







41748XXX



### AddStoris

41770XXX


















## AddStoris


41759XXX














**AddStoris**  
41773XXX







**AddStoris**  
41774XXX






## AddStoris

41741XXX



## AddStoris

41775XXX





XXX = Colours

000 = Chrome

140 = Brushed Bronze

340 = Brushed Black Chrome


670 = Matt Black

700 = Matt White

990 = Polished Gold-Optic


**AddStoris**

41746XXX




**AddStoris**

41753XXX




**AddStoris**

41756XXX




**AddStoris**

41772XXX




**AddStoris**

41741XXX




**AddStoris**

41745XXX




**AddStoris**

41748XXX




**AddStoris**

41754XXX




**AddStoris**

41752XXX




**AddStoris**

41775XXX







**AddStoris**  
41759XXX




**AddStoris**  
41751XXX




**AddStoris**  
41770XXX




**AddStoris**  
41747XXX



**AddStoris**  
41744XXX




94165000  
40915000




**AddStoris**  
41743XXX


**AddStoris**  
41774XXX



94165000  
40915000



**AddStoris**  
41749XXX



**AddStoris**  
41773XXX

