




EN assembly instructions




Logis E
41710000




Logis E
41725000




Logis E
41726000




Logis E
41714000



Logis E
41718000




Logis E
41715000




Logis E
41717000




Logis E
41723000




Logis E
41722000




Logis E
41724000



Logis E
41712000



Logis E
41713000







Logis E
41720000

Logis E
41716000



Safety Notes

-  Gloves should be worn during installation to prevent crushing and cutting injuries.
-  Intended use of the handle 41713000: The handle is not a medical product, it is not intended for physically impaired persons, but only for general private use.
-  Use only the handle for support, the remaining products are not intended to be used as supports.
-  Check the proper attachment and tight seating of the installed products periodically (annually).

Installation Instructions

- Prior to installation, inspect the product for transport damages. After it has been installed, no transport or surface damage will be honoured.
- Where the contractor mounts the product, he should ensure that the entire area of the wall to which the mounting plate is to be fitted, is flat (no projecting joints or tiles sticking out), that the structure of the wall is suitable for the installation of the product and has no weak points. The enclosed screws and dowels are only suitable for concrete. For another wall constructions the manufacturer's indications of the dowel manufacturer have to be taken into account.

Symbol description



Do not use silicone containing acetic acid!



Operation (see page 19)

Lift off pump and lid for filling and cleaning.



Cleaning (see page 24)



Spare parts (see page 23)









Assembly see page

17






41710000







41724000




41723000




41722000




41725000




41726000




41717000




41715000








41714000




41718000









41712000







41716000



41720000







41713000

