

Zesis S

Single lever shower mixer for exposed installation

Finish: **Chrome** Art. no. : **74621000**



Description

product features

- 1 outlet
- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-return valve
- hose connection $\frac{1}{2}$ "
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: S-connections
- WRAS 2311310

Article Details

Price excl. VAT

£ 110.00


Certificates / Sustainability




Product image



Scale drawing



Flowchart




Shower outlet with 1B-resistance

Zesis S
Single lever shower mixer for exposed installation
 Finish: **Chrome** Art. no. : **74621000**



Exploded Drawing

Year of production: >01/25



Zesis S
Single lever shower mixer for exposed installation
 Finish: **Chrome** Art. no. : **74621000**



Spare part list

Year of production: >01/25

Pos.	Description	Art. no.	Price	PU
1	handle	87890000	-	1
2	hollow set screw M5x8	92851000	£ 3.40	1
3	escutcheon	94027000	£ 27.00	1
4	nut	93995000	£ 27.00	1
5	O-ring 35x1,5	92114000	£ 6.40	1
6	cartridge, assy	93895000	£ 83.00	1
7	seal	95008000	£ 9.50	1
8	Hose Connection	96044000	£ 16.80	1
9	non return valve	93251000	£ 9.50	1
10	O-ring 14x2	98129000	£ 3.40	1
11	set of nuts	96157000	£ 37.00	1
12	connecting thread	97220000	£ 16.80	1
13	O-ring 15x2	98163000	£ 3.40	1
14	filter packing	96922000	£ 9.50	1
15	escutcheon Ø 68 mm	96467000	£ 21.40	1
16	noise reduction	96429000	£ 6.40	1
17	set of S-unions (±12 mm)	94140000	£ 54.00	1