


**Serie | 6, Gas hob, 90 cm,  
PPS9A6B90**



**The tempered-glass gas hob with  
FlameSelect: achieve perfect cooking  
results thanks to nine precisely defined  
power levels.**

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Wok burner:** powerful cooking at up to 4 kW.
- **Standard and semi-flush built-in option:** choose between flush or surface mounted installation.
- **Tempered-glass surface:** elegant design and easy cleaning.
- **Continuous cast-iron pan support:** for high firmness and stability of cookware.

**Technical Data**

Product name/family :	gas hob w integrated controls
Construction type :	Built-in
Energy input :	Gas
Total number of positions that can be used at the same time :	5
Required niche size for installation (HxWxD) :	45 x 850-852 x 490-502
Width of the product (mm) :	915
Dimensions of the product (mm) :	45 x 915 x 520
Dimensions of the packed product (HxWxD) (mm) :	165 x 1116 x 659
Net weight (kg) :	21.845
Gross weight (kg) :	24.0
Residual heat indicator :	without
Location of control panel :	Hob front
Basic surface material :	Hard Glass
Color of surface :	Black
Color of frame :	Black
Approval certificates :	CE
Length of electrical supply cord (cm) :	150
EAN code :	4242002915067
Electrical connection rating (W) :	1
Gas connection rating (W) :	11500
Current (A) :	3
Voltage (V) :	220-240
Frequency (Hz) :	60; 50



## Serie | 6, Gas hob, 90 cm, PPS9A6B90

**The tempered-glass gas hob with  
FlameSelect: achieve perfect cooking results  
thanks to nine precisely defined power  
levels.**

---

### **Design**

- Tempered glass Black
- frameless design

### **Special features**

- FlameSelect
- Design co-ordinated control dials
- Ignition via control dials
- Cast iron pan supports with rubber feet

### **Power and size:**

- 5 gas burners:
- Dual control burner
- 4 gas + wok (left)
- Right rear: high-speed burner 3 KW
- Left: wok burner 4 KW
- Center rear: 1.75 KW
- Center front: economy burner 1 KW
- Right front: standard burner 1.75 KW

### **Safety Features**

- Flame failure safety device
- Pre-set for natural gas

### **Technical information**

- Power cord length 150 cm

### **Accessories**

- LPG jets included. Connection to 28-30/37 mbar bottled gas

