

Serie | 6, Built-in warming drawer, 60  
x 14 cm, Black  
BIC510NB0

The multifunction warming drawer for the  
14 cm niche: for pre-heating plates and  
keeping food warm.


- **Push-pull mechanism:** easy opening and closing thanks to a practical spring mechanism.

Technical Data

Construction type :	Built-in
Color / Material Front :	Black
Maximum number of plates :	14
Maximum number of espresso cups :	64
Dimensions :	140 x 594 x 540
Dimensions of the packed product (HxWxD) (mm) :	210 x 660 x 660
Required niche size for installation (HxWxD) :	140 x 560 x 550
EAN code :	4242005035403
Electrical connection rating (W) :	400
Current (A) :	6
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	Gardy plug w/ earthing



4 242005 035403



**Serie | 6, Built-in warming drawer, 60 x 14  
cm, Black  
BIC510NB0**

**The multifunction warming drawer for the 14  
cm niche: for pre-heating plates and keeping  
food warm.**

---

**Design**

- Cavity inner surface: stainless steel
- Rotary dial
- User-friendly electronics: extremely easy and comfortable operation
- Push-pull opening mechanism

**Programmes/functions**

- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods
- Can accommodate up to:
  - 14 plates
  - 64 espresso cups
- Loading up to 15 kg

**Accessories**

- 1 x Anti-slip mat


**Technical information**

- Cavity volume: 23 l
- Power cord length 150 cm Cable length
- Total connected load electric: 0.4 KW
- Nominal voltage: 220 - 240 V

**Performance/technical information**


- Appliance dimension (hxwx): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwx): 140 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

**Serie | 6, Built-in warming drawer, 60 x 14 cm, Black  
BIC510NB0**



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm