

iQ700, Built-in steamer, 60 x 45 cm, Stainless steel
CD634GAS0B



Included accessories	
punched, 1 x steam container, unpunched, size L, 1 x sponge	
Optional accessories	
HZ66X600	Decor list
HZ66X650	Cover Strip
HZ915003	Glass roasting dish, 5,4 L

The compact steamer for delicious, low-fat, healthy food preparation.

- ✓ The full steam function: making it simple to cook healthy and delicious meals
- ✓ Automatic programs ensure excellent results - cookControl20
- ✓ TFT Display: good readability from any perspective.
- ✓ Halogen-Illumination: for precise lighting.
- ✓ softMove: gentle opening and closing of the oven door.

Features

Technical Data


Plug type: GB plug
Frequency: 50; 60 Hz
Nominal power: 220-240 V
Fuse protection: 10 A
Connection Rating: 1750 W
EAN code: 4242003833261
Length of electrical supply cord: 150.0 cm
Weight: 22.1 kg
Door Material: Glass
Control Panel Material: Stainless steel
Dimensions of the packed product (HxWxD): ... 530 x 660 x 690 mm
Dimensions: 455 x 594 x 548 mm
Min. required niche size for installation (HxWxD): 450-455 x 560-568 x 550 mm
Design: Built-in
Included accessories: 1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge



iQ700, Built-in steamer, 60 x 45
cm, Stainless steel
CD634GAS0B

Features	
Design • 2.8" TFT Display • Drop down oven door, softClose, softOpen • Cavity inner surface: stainless steel • Stainless steel control dial • 1 interior light, Light on/off when door opened/closed • Bar handle • We recommend you to choose complementary products within IQ700, in order to assure an optimal design combination of your Built-In appliances. Features • 3 shelf positions • Control panel lock • Automatic safety switch off Start button Door contact switch • cookControl, 20 • Electronic oven clock timer • Tank empty indicator • Digital temperature display with proposal • Actual temperature display Heating-up indicator cookControl • Integral cooling fan Cleaning • Full glass inner door Programmes/functions • Automatic programmes Accessories • 1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge Performance/technical information • Cavity volume: 38 litres • 1.3 l Water tank capacity: • Location of water tank: Inside cavity • Power cord length 150 cm Cable length • Total connected load electric: 1.75 KW • Nominal voltage: 220 - 240 V • Appliance dimension (h x w x d): 455 mm x 594 mm x 548 mm • Please refer to the dimensions provided in the installation manual	

iQ700, Built-in steamer, 60 x 45
cm, Stainless steel
CD634GAS0B



Dimensioned drawings

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm