Turn temperature control to the Turn power control to low. cold position.






Switch on the electrical supply. Push START/STOP button.

6







Water flows freely within a few Turn power control to Eco. seconds, temperature remains



Temperature will rise slightly. Turn power control to High.



Temperature will rise further.














A small amount of water may continue to drain over a few

Note! A slight hissing sound may be heard from the shower during operation. High mains water pressure and high shower temperatures will affect the tone. This is quite normal in use.

Switch off the electrical supply.

Turning the

temperature

control does not

affect the water

temperature

No water or

very low flow

Water leaks

of the case

from the bottom

near the outlet

flow from the

showerhead

The water

cannot be

turned off

and there is no | blocked outlet).

The hose or

The hose or

blocked

showerhead is

The incoming water

supply stop valves,

or the appliance

isolating valve is

Insufficient water

supply pressure

The heater tank is

excessively scaled

The inlet filter is

The fuse is blown

or the MCB / RCD

indicating a possible

electrical fault; for

tank element failure

example, heater

The start / stop

switch is faulty

The solenoid coil is

The pressure relief

has been triggered

when the relief valve

switching assembly

The start / stop

switch is faulty

is below the

minimum required

valve in the tank

(usually due to a

operates a small

rubber ball is

The on / off

eiected

is faulty

The on / off

is faulty

has been tripped,

blocked

closed

blocked

showerhead is

The flow regulator is Replace the heater

tank assembly

De-scale showerhead,

check hose for kinks or

damage and replace

if necessary. Refer to

the User Maintenance

De-scale showerhead,

check hose for kinks or

damage and replace

if necessary. Refer to

the User Maintenance

Open the stop/isolating

Contact the local water

Replace the heater

Clean the inlet filter

Switch on the power at

the double pole switch

Replace on / off

Replace start / stop

Replace solenoid coil

Resolve the blocked

outlet and replace the

heater tank assembly

Replace on / off

The supply pressure | Check the static water

switching assembly

Replace start / stop

pressure. Note that the

static water pressure

may fall below the

are drawing water,

dishwasher or the

washing machine

for example the

minimum requirement

when other appliances

switching assembly switching assembly

switch

valve completely

section of the user

section of the user

auide

auide

authority

tank assembly

## **FAULT DIAGNOSIS**

Warning! There are no user serviceable components beneath the cover of the appliance. In the event of a malfunction of the shower, the troubleshooting information below provides details on possible causes and remedies that may be carried out by qualified, competent personnel. Non-qualified personnel should refer to the fault diagnosis section in the users guide.

| Symptom  | Possible Cause   | Possible Remedy  |
|--|--|--|
| No hot water from the  | Insufficient water supply pressure   | Contact local water authority  |
| shower, with<br>the controls<br>in ECO/HIGH<br>position  | Failure of the microswitch or thermal switch   | Check the continuity of<br>the switches, using<br>a suitable continuity<br>measuring device.<br>Replace the switches<br>as necessary                       |
|  | An internal wiring connection has failed   | Check the integrity of the internal wiring   |
|  | One of the heater tank elements has failed   | Replace the heater tank assembly   |
|  | Switch assembly fault  | Replace On / Off switching assembly  |
| The shower<br>temperature<br>cycles between<br>hot and cold<br>with power<br>control in ECO/<br>HIGH | The showerhead sprayplate is blocked   | Remove and clean<br>the showerhead<br>sprayplate.<br>Refer to the shower<br>fittings User Guide.<br>If the fault persists,<br>contact Customer<br>Services |
|  | The hose is blocked or kinked  | Clear the blockage or replace the hose   |
|  | The temperature is set too high. This is causing the thermal switch to turn off the heating element to | Turn the temperature control anticlockwise to reduce the water temperature or turn the power control to ECO.   |

reduce the water

temperature

DO NOT TAMPER with

the thermal switch

#### WARNING

There are no user serviceable parts inside the shower. Servicing of the shower must only be carried out by


SERVICING


qualified, competent personnel following the instructions provided in this guide and those provided with any spare

Before replacing any parts, ensure that the underlying cause of the malfunction has been resolved.

# Cleaning the Inlet

Warning! Isolate the electrical and water supplies before removing the cover.






Remove the elbow from the inlet connector.

Note! Depending on your installation it may be necessary to remove the shower from the wall to allow filter removal. In this case isolate all supplies and follow steps 6 - 8 in reverse order as detailed in section: 'INSTALLATION'.

Prise the filter from the inlet connector assembly.

Rinse the filter under a running tap to remove any lodged particles. If necessary, use a kettle descalent in accordance with the manufacturer's instructions.




Refit the inlet filter and follow steps 7 and 10 as described in section: 'INSTALLATION'.

**Note!** If the shower was removed from the wall, steps 6, 7, 8 and 10 will need to be followed as described in section: 'INSTALLATION'.


Follow the steps detailed in section: 'COMMISSIONING' to prepare the shower for use.

#### **WIRING DIAGRAM**



## **SPARE PARTS**

1788.429



1693.331 Component Pack (Not illustrated) 1788.432 Wire Pack (Not illustrated)

1788.436 Screw Pack (Not illustrated)

### **CUSTOMER SERVICE**

#### Guarantee

Mira Vie date of purchase. This guarantee only applies in the United Kingdom and Republic of Ireland. To activate this guarantee, please return your complete registration card, visit our website or free phone 0800 0731248 within 30 days 7.5, 8.5, 9.5 and 10.8 kW Electric Shower of purchase (UK only).

Mira Go

8.5 and 9.5 kW Electric Shower

Within the guarantee period we will resolve defects in materials or workmanship, free of charge, by repairing or replacing parts or product as we may choose.

Your product has the benefit of our manufacture's guarantee which starts from

This guarantee is in addition to your statutory rights and is subject to the following conditions:

- The guarantee applies solely to the original installation under normal use and to the original purchaser only. The product must be installed and maintained in accordance with the instructions given in this guide.
- Servicing must only be undertaken by us or our appointed representative. Note! If a service visit is required the product must be fully installed and connected to services. Repair under this guarantee does not extend the original expiry date.
- The guarantee on any replacement parts or product ends at the original • For shower fittings or consumable items we reserve the right to supply
- replacement parts only.

### The guarantee does not cover:

- Call out charges for non product faults (such as damage or performance issues arising from incorrect installation, improper use, inappropriate cleaning, lack of maintenance, build up of limescale, frost damage, chemical attack, corrosion, system debris or blocked filters) or where no fault has been found with the product
- Water or electrical supply, waste and isolation issues.
- Compensation for loss of use of the product or consequential or indirect
- Damage or defects caused if the product is repaired or modified by persons not authorised by us or our appointed representative.
- Accidental or wilful damage
- Products purchased ex-showroom display.

## What to do if something goes wrong

If your product does not work correctly refer to this manual for fault diagnosis and check that it is installed and commissioned in accordance with our instructions.


If this does not resolve the issue, contact us for help and advice.

#### **Extended Guarantees**

A selection of protection plans are available that enable you to cover repair bills (excludes Eire). Ring 01922 471763 for more details.

Helpdesk Service - Contact our Customer Services Team for product advice, to purchase spare parts or accessories or to set up service visit. You can contact us via phone or e-mail - contact details below. Please provide your model name, power rating (if applicable) and date of purchase.

Mira Showers Website (www.mirashowers.co.uk) Visit our website to register your guarantee, download user guides, diagnose faults, purchase our full range of accessories and popular spares, or request a service visit.



Mira spares and accessories. Contact us for a price or visit our website to purchase items from our accessory range and popular spares. (Only available in the United Kingdom) Service/Repairs - No one knows our products better than our



ationwide team of Service Technicians. We can carry out service or repair work to your product both during and after the guarantee period (Only available in the United Kingdom and Republic of Ireland). Ask about our fixed price service repairs.

### To Contact Us 0844 571 5000

Please note: Calls cost 7p per minute plus your phone company's access charge.

Fax: 01242 282595



E-mail:

www.mirashowers.co.uk/contactus Mira Customer Services Dept



Cromwell Road, Cheltenham, Gloucestershire

## To Contact Us: Eire Only 01 531 9337



CustomerServiceEire@mirashowers.com

Mira is a registered trade mark of he company reserves the right to alter product specifications without notice.



© Kohler Mira Limited, 06/2016

These instructions must be left with the user

Installation Guide





Showering perfection

KOHLERCOMPAN

### INTRODUCTION

Thank you for choosing a Mira shower. To enjoy the full potential of your new shower, please take time to read this guide thoroughly, and keep it handy for future reference.

Products manufactured by Kohler Mira Ltd are designed to be safe, provided that they are installed, used and maintained in good working order, in accordance with our instructions and

Follow all warnings, cautions and instructions contained in this guide, and on, or inside the shower. This guide is also available in electronic format on our website or by contacting customer services.

This product has separate controls for power selection and for temperature/flow adjustment. A unique flow regulator stabilises any temperature changes caused by water pressure fluctuations, which can result from taps being turned on or off or toilets being flushed.



Electrical and electronic devices contain a range of materials that can be separated for recycling and used in new products.

This shower should not be disposed of with your general household waste. When this shower has reached the end of its serviceable life please take it to a recognised WEEE (Waste Electrical and Electronic Equipment) collection facility such as your local civic amenity site for recycling. Your local authority or retailer will be able to advise you of

your nearest collection facility.

## Mira Electric Showers covered by this guide:

| Product  | kW   | Model Number | Colour         |  |
|----------|------|--------------|----------------|--|
|          | 7.5  | J08 Gb       |                |  |
|          | 8.5  | J08 Ab       | White / Chrome |  |
|          | 9.5  | J08 Bb       | white / Chrome |  |
| Mira Vie | 10.8 | J08 Cb       |                |  |
|          | 8.5  | J08 Ac       |                |  |
|          | 9.5  | J08 Bc       | Chrome         |  |
|          | 10.8 | J08 Cc       |                |  |
| Miro Co  | 8.5  | J08 Aa       | M/h:4- / Ob    |  |
| Mira Go  | 9.5  | J08 Ba       | White / Chrome |  |

This product has been designed for domestic use only, Mira Showers guarantee this product against any defect in materials or workmanship for a period of two years from the date of purchase (shower fittings for one year).

For terms and conditions, refer to the back cover of this guide.

## **Recommended Usage**

| Domestic         | <b>√</b> |
|------------------|----------|
| Light Commercial | ✓        |
| Heavy Commercial | ×        |
| Healthcare       | ×        |

## IMPORTANT SAFETY INFORMATION

WARNING - This shower can deliver scalding temperatures, cause fire, electric shock or other personal injury if not installed, operated or maintained in accordance with the instructions, warnings and cautions contained in this guide and on or inside

Please read the important safety information and the installation requirements detailed in this guide before installing the shower. Failure to follow the instructions provided with this shower will invalidate the quarantee

## TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR INJURY:

- 1. Installation of this shower must be carried out in accordance with these instructions by qualified, competent personnel.
- 2. Isolate the electrical and water supplies before

commencing installation. The electricity must be isolated at the consumer unit and the appropriate circuit fuse removed, if applicable. Mains connections are exposed when the cover is removed.

- DO NOT install the shower in areas with high humidity and temperature (i.e. steam rooms and saunas).
- **DO NOT** install the shower where it may be exposed to freezing conditions. Ensure that any pipework that could become frozen is properly insulated.
- **DO NOT** switch the shower on if there is a possibility that the water in the shower is frozen. **DO NOT** switch the shower on if water starts leaking
- from the shower case. Isolate the electrical supply to the shower immediately.
- DO NOT connect the outlet of the shower to any tap, control valve, trigger operated handset or showerhead other than those specified for use with this shower. Only Kohler Mira recommended accessories should be used.
- The water supplies to this product must be isolated if the product is not to be used for a long period of time. If the product or pipework is at risk of freezing during this period they should also be drained of water. DO NOT perform any unspecified modifications, or drill
- or cut holes in the product other than instructed by this guide. When servicing only use genuine Kohler Mira replacement parts. If the shower is dismantled during installation or servicing
- then upon completion the product must be inspected to ensure all electrical connections are tight and that there are no leaks. 11. Read all installation instructions before installing this
- shower
- 12. Upon completion of the installation, make sure that the user is familiar with the operation of the shower, and leave this guide and the user guide with the owner.

## **SPECIFICATION**

| Dimensions |        |
|------------|--------|
| Height     | 329 mm |
| Width      | 220 mm |
| Depth      | 101 mm |

| Disconding or         | Variant                              |                                  |     |               |
|-----------------------|--------------------------------------|----------------------------------|-----|---------------|
| Plumbing              | 7.5                                  | 8.5                              | 9.5 | 10.8          |
| Min Dynamic Pressure  |                                      | 70 kPa 100 k<br>(0.7 bar) (1.0 k |     |               |
| Max Dynamic Pressure  |                                      | 500 kPa (5.0 bar)                |     |               |
| Max Static Pressure   |                                      | 1000 kPa (10 bar)                |     |               |
| Min Static Pressure   |                                      | 50 kPa (0.5 bar)                 |     |               |
| Max Inlet Temperature |                                      | 30°C                             |     |               |
| Min Inlet Temperature | 2°C                                  |                                  |     |               |
| Inlet Connection      | 15 mm Compression / Pushfit Coupling |                                  |     | nfit Coupling |
| Max Water Hardness    | 200 ppm CaCO <sub>3</sub>            |                                  |     | 3             |
| Outlet Connection     |                                      | 1/2" BSP Male                    |     |               |

| Electrical                  | Variant                                       |        |        |         |  |
|-----------------------------|---|--------|--------|---------|--|
| Electrical                  | 7.5   | 8.5    | 9.5    | 10.8    |  |
| Nominal Power at 240 V ac   | 7.5 kW  | 8.5 kW | 9.5 kW | 10.8 kW |  |
| Nominal Power at 230 V ac   | 6.9 kW  | 7.8 kW | 8.7 kW | 9.9 kW  |  |
| Recommended MCB Rating      | 32 A  | 40 A   |        | 45 A    |  |
| Max Supply Cable Size       | 16 mm²  |        |        |         |  |
| Recommended RCD Rating      | 30 mA tripping current                        |        |        |         |  |
| Recommended Isolator Switch | 45 A double-pole with 3 mm contact separation |        |        |         |  |
| Appliance Sealing Rating    | IP X4 - Suitable for installation in Zone 1   |        |        |         |  |
| Max Ambient Temperature     | 30°C  |        |        |         |  |
| Min Ambient Temperature     | 2°C   |        |        |         |  |

#### **European Conformity Information**


This range of electric showers complies with the following European directives:

2006/95/EC Low Voltage Directive, 2004/108/EC EMC Directive, 2011/65/EU RoHS Directive

This range of electric showers are high power appliances and are subject to conditional connection. If the main electrical supply fuse is rated less than 80 Amps, the local electricity supply company must be contacted to confirm if the electrical supply is adequate.

This range of showers complies with the requirements of the UK's water regulations.

## PACK CONTENTS





1 x Component Pack

- 1 x Guarantee Brochure
  - 1 x User Guide

x Installation Template (printed on


1 x Installation Guide

## **INSTALLATION REQUIREMENTS**

## **PLUMBING**

- 1. The plumbing installation must comply with all national or local water regulations and all relevant building regulations, or any particular regulation or practice specified by the local water supply company.
- 2. Do not install the product in a position in which service access is limited.
- Decide on a suitable position for the shower (minimum distance of 200 mm from the ceiling to allow for cover fit and removal)
- 4. The shower is suitable for installation within the shower area and is fitted with a pressure relief valve. It must be positioned over a water catchment area with the controls

- at a convenient height for the user.
- The shower must be fitted to a waterproof flat and even
- **DO NOT** fit the shower to the wall and tile up to the case.
- DO NOT seal the gap between the shower and the wall The showerhead should be positioned so that it
- discharges down the centre line of the bath or across the opening of a shower cubicle.
- The showerhead must be directed away from the shower unit, during normal use the showerhead must not spray directly on to the shower unit.
- **DO NOT** apply excessive force to plumbing connections; always provide mechanical support when making plumbing connections. Any soldered joints should be made before connecting the shower.
- 11. The position of the shower and shower fittings must provide a minimum gap of 25 mm between the showerhead and the spill over level of any bath, shower tray or basin and a minimum gap of 30 mm between the showerhead and the spill over level of any toilet, bidet or other appliance with a Fluid Category 5 backflow risk.



## Hose retaining ring fitted and shower fittings fixed at a suitable height preventing dirty water backflow.

Note! There will be occasions when the hose retaining ring will not provide a suitable solution for Fluid Category 3 installations, in these instances an outlet double checkvalve must be fitted, this will increase the required supply pressure typically by 10kPa (0.1 bar). Double checkvalves fitted in the inlet supply to the appliance cause a pressure build up, which affect the maximum static inlet pressure for the appliance and must not be fitted. For Fluid category 5 double checkvalves are not suitable

- 12. This shower is not designed to be plumbed directly from the rear. For rear-entry supply, add an elbow to the supply pipe and connect as a rising or a falling supply.
- 13. If pipework and/or electrical cables enter the shower from the rear through a hole in the wall provision must be made to prevent water ingress back into the wall structure.
- 14. This shower is intended to be permanently connected to the mains water supply, only use the inlet connection supplied with the shower.

**DO NOT** use any other type of fitting. 15. A full bore/non restrictive servicing valve must be fitted


- in a readily accessible position adjacent to the shower to facilitate maintenance of the shower. DO NOT use a valve with a loose washer plate (jumper) as this can lead to a build up of static pressure.
- 16. A water treatment device should be installed where the

water hardness may exceed 200 ppm. Malfunctions caused by excessive limescale formation are not covered by this shower's guarantee (see back page for details).

- 17. The installation must not cause the hose to be sharply kinked during normal use.
- 18. DO NOT perform the electrical installation until the plumbing has been completed and checked for leaks.

## **ELECTRICAL**

- The electrical installation must comply with BS 7671 (commonly referred to as the IEE Wiring Regulations) and all relevant building regulations, or any particular regulation or practice specified by the local electricity supply company Ensure that all circuit protection devices, switches and
- cabling is adequate for the rated current of the shower and that the rating of the electricity supply company fuse and the consumer unit are adequate for the additional demand. The shower **must** be earthed. Ensure any supplementary
- bonding complies with the relevant regulations.
- This shower is intended to be permanently connected to the fixed electrical wiring of the mains system. A separate supply must be provided from the consumer unit to the shower.
- DO NOT supply any other electrical equipment including extractor fans or pumps via this product.
- 6. This shower must be provided with means for local disconnection that is incorporated into the fixed wiring in accordance with the relevant local wiring regulations. This **must** be a double pole switch, which has at least 3 mm contact separation in each pole. The switch can be a ceiling mounted pull-cord type within the shower room or a wall mounted switch fitted in the applicable zone area.
- For new installations a 30mA Residual Current Device (RCD) must be incorporated into the electrical supply to this shower in accordance with current wiring regulations. When replacing an existing electric shower we recommend that a 30mA RCD be incorporated in accordance with current wiring regulations if not already
- **DO NOT** apply excessive force to the terminal block.
- All electrical connections should be checked for tightness to prevent overheating before switching on the electrical
- **DO NOT** switch on the electrical supply until the plumbing has been completed and checked for leaks.




## INSTALLATION

Warning! Isolate the electrical and water supplies before installing the shower.


Use the Installation Template provided (printed on the product carton), together with a spirit level to mark the positions of the three fixing holes

Note! The shower should be positioned at least 200 mm from the ceiling. Ensure that there are sufficient lengths of supply pipe and electrical cable to reach the connection points as shown on the template.

Drill three holes to suit the fixing screws and wall Caution! Do not drill into cables or pipes in the wall.




Determine the direction and route of the incoming water supply



Note! - DO NOT use an incoming supply entering the shower directly from the back. Add an elbow to the supply pipe and connect it as a rising or falling supply.


- Thoroughly flush the supply pipe.
- Secure the shower to the wall with fixing screws and wall plugs (supplied) or appropriate wall fixings for your installation.



Connect the inlet supply pipe to the inlet connector using a push fit elbow or an elbow with compression nuts and olives.

Important! Do Not use push fit elbows that require specialist tools for removal. Access to the inlet filter is required periodically and so any connector needs to easily removed for maintenance

Note! When making connections to the shower Do Not use jointing paste products as damage to the shower will occur.



Turn on the water supply and check connection for leaks.


routing to terminal block. Insert the wires into the


terminal block. Tighten the screws in the terminal block, ensure the

Ensure the earth bonding complies with relevant regulations.

(Live) = Brown wire (\frac{1}{2}) (Protective Earth) = Green / Yellow sleeved wire

N (Neutral) = Blue wire





Tighten the three cover

Do not use alternative screws to secure the cover. This can cause internal damage to the appliance.

Do not seal around the back of appliance

Install the shower fittings (Refer to the Shower Fittings Installation and User Guide packed with the product).

The shower must be commissioned before use, please refer to section: 'COMMISSIONING'.

This completes the installation.

## **Check out our full range of Showers**

| Digital Showers |
|-----------------|
| Mixer Showers   |
| Power Showers   |
| Smart Showers   |
|                 |

**Shower Towers** 

**Electric Showers** 

## **From Top Shower Brands**

Mira Showers

**Aqualisa Showers** 

**Triton Showers** 

**Gainsborough Showers** 

## Shower Pumps can upgrade your showering experience even more

**Stuart Turner Shower Pumps** 

Salamander Shower Pumps

**Grundfos Shower Pumps** 

