


N 50, BUILT-IN DOUBLE OVEN U1ACE2AG3B



Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

Z11CR10X0	Baking and roasting grid (standard)
Z11TI15X0	Cliprails
Z1365WX0	Wireless food thermometer
Z1608BX0	Full ext rails, level independent
Z1650BE0	Half tray
Z1655CA0	Air Fry & Grill tray

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ CircoTherm® – Smart hot-air solution that lets you bake on up to three levels at once.
- ✓ EasyClean – this special cleaning aid provides uncomplicated, energy-saving cleaning of the oven interior.
- ✓ LCD-Display – simple, straightforward with large characters for clear reading

Features

Technical Data

Built-in / Free-standing: Built-in
Integrated Cleaning system: No
Dimensions: 888x594x550 mm
Dimensions of the packed product (HxWxD): 960x660x690 mm
Control Panel Material: Glass
Door Material: Glass
Net weight: 49.8 kg
Usable volume of cavity: 71 l
Cooking method: Full width grill, Hotair gentle, Hot Air, Conventional heat, Hot air grilling
EAN code: 4242004281764
Energy efficiency rating: A
Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2: B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 0.83 kWh/cycle
Energy efficiency index (2010/30/EC): 95.3 %
Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
Connection Rating: 5900 W
Fuse protection: 32 A
Voltage: 220-240 V
Frequency: 50 Hz
Plug type: no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)
Included accessories: 3 x combination grid, 1 x universal pan



N 50, BUILT-IN DOUBLE OVEN U1ACE2AG3B

Features

Features

Top oven additional features

- Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
- Temperature range 50 °C - 275 °C
- Cavity volume: 34 Litre

Main oven additional features

- Oven with 5 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® gentle
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 litre

Level independent telescopic rails

Top oven

- Oven with 5 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® gentle

Main oven

- 4 shelf positions
- Available as an accessory

Design

- Elongated designed dials, Retractable control dials, Bevelled oval controls With steel trim
- Cavity (inner surface) top: Enamel grey
- Cavity (inner surface) bottom: enamel anthracite

Cleaning

Top oven

- full-glass medium

Main oven

- EasyClean
- Full glass inner door

Programmes/functions

- LCD Display (White)
- Electronic clock timer
- Automatic start
- Heating up indicator
- Interior halogen light
- Bar handle

Top oven

- Door hinge small cavity: bottom

Main oven

- Door hinge big cavity: Drop down door
- Manual rapid heating up
- Cooling fan

Accessories

- 3 x combination grid, 1 x universal pan

Features

Top Oven

- 50 °C

Main Oven

Main oven

- Heat reflective glass
- Control panel lock
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 0.83 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main Cavity
- Heat source: electrical

Technical information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 5.9 KW

Top oven

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 0.83 kWh
- Number of cavities: Top Cavity
- Heat source: electrical

Performance/technical information

- Appliance dimension (h x w x d): 888 mm x 594 mm x 550 mm
- Niche dimension (h x w x d): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- "For-details-on-installation-and-ventilation requirements – please refer to the installation manual prior to fitting."

N 50, BUILT-IN DOUBLE OVEN
U1ACE2AG3B

Dimensioned drawings

measurements in mm

