Built-in 50/50 Frost Free Fridge Freezer

MODEL PRRF501



Before use, please read and follow all the safety rules and operating instructions.



1.	Protecting the environment and advice for disposal	-2
2.	Deciding where to locate your fridge freezer	-2
3.	Installing your appliance/Danger warnings	-2
4.	Rating plate	-3
5.	Connecting your appliance to the mains	-3
6.	Using your appliance	-3
7.	Starting up the freezer	3
8.	Freezing/Storing of fresh food	3
9.	Cleaning and maintenance	4
10.	Using your fridge	5
11.	Troubleshooting guide	6
12.	Getting your appliance in a fitted kitchen	7

Please read these user instructions carefully to understand, quickly and thoroughly, how to use your new fridge/freezer. Underline any parts you consider particularly important. Look after this document so that you may consult it in future or pass it on to any future owners.

You have purchased a reliable appliance which will serve you for many years if it is used and maintained properly. The detailed illustrations can be found on the last pages of this user manual. The performance data on the rating plate refer to a room temperature within the range of $+10^{\circ}$ C to 38° C.

Important!

This appliance is designed for domestic use only.

The appliance has been tested against leakage in compliance with the relevant legal safety standards.

Should you have bought your new fridge / freezer to replace an old appliance, please make sure that all existing latch or bolt-locks on the old appliance are destroyed before you dispose of it. This will ensure that a child can not get trapped inside.

Please have the old appliance ecologically disposed of by a company specialized in environmental protection, since the appliance may contain harmful components in the refrigerant and this must be removed with special equipment. Please check with your dealer or your local authority.

Make sure that the refrigerating system containing the refrigerant, especially the condenser at the back of the appliance not damaged during transportation to the disposal site. So that you can be sure that the refrigerant does not leak out. Details of utilized refrigerant and insulation propellant are on the rating plate affixed to the appliance.

Instruction Manual

The user instructions apply to several models, for this reason there may be some differences in the details given, according to the type of the appliance.

1. Protecting of environment / advice for disposal Packing

Serves to protect the appliance during transportation and recyclable materials have been used for packaging. Corrugated board/ cardboard (mainly from waste paper)

- Shaped parts in PS(foamed CFE-free Polystyrene)
- Foils and bags in PE (Polyethylene)
- Strapping tapes in PP(Polypropylene)

Please hand over all packaging to the nearest official collection point, so that all the different materials can be reused or recycled as far as possible and any illegal depositing of such materials is thus avoided.

2. Deciding where to locate your appliance

In order to avoid any damage or injury to persons or things, the appliance should be unpacked by two people and placed in the chosen location. Before positioning it, check that your new appliance has no visible outer damager. On no account should you start up your appliance if it is damaged. Check the appliance carefully for:

- Damage to the packaging which might indicate that the appliance has been mishandled during transportation.
- Damage to the outer case.
- Any visible damage to the cable / plug.

If in any doubt let the customer service department to check the appliance. It must be at all costs be avoided, that any environmentally damaging refrigerant leaks out by starting up the appliance.

- 3. Installing your appliance
- a) Unpack the appliance
- b) In order to unnecessary waste raw materials, the handles have not been mounted on to the separate part of the appliance. Mount the door handles and at the same time any other enclosed parts according to the relevant instructions enclosed.
- c) Remove any objects from inside the appliance
- d) Carefully remove all film and adhesive tape from the case.
- e) Remove any polystyrene pieces from around the compressor(if it exists)
- f) Remove all documents and accessories inside
- g) Clean the inside of the appliance with lukewarm water and vinegar and dry it thoroughly with a soft cloth.

- Make sure that the pipes for the circulation of the refrigerant are not damaged in any way during installation.
- The appliance must only be used for the purpose for which it is intended.
- The appliance must be placed on a firm, level surface. This is the only way to ensure that the refrigerant can circulate freely and thus ensure that your appliance will work efficiently.
- If possible, place your appliance in a cool, well aired dry room.
- Do not place your appliance in direct sunlight, nor in a room at high temperature.
- Do not place your appliance in the vicinity of any sources of direct heat such as heating, ovens, cooking stove etc.

If installation near a direct heat source can not be avoided, we recommend fitting a suitable distance from the heat source

- From cooker: 3cm
- From Oven: 30cm

Never obstruct the ventilation

Always pull out the plug, not pull the cable when cutting the appliance off from the mains supply.

Warning: Leave the appliance standing in its final position for at least 2 hours before switching it on, so that the circulation of the refrigerant stabilizes and no operation problem occur.

Before connecting up the appliance, make sure that it is absolutely dry inside.

Warning: Depending on its composition, the refrigerant can be easily inflammable, the refrigerant circuit has been hermetically sealed and has been tested many times for possible leaks.

Any inexpert interference might well create a fire hazard. Make sure nothing mechanically effects the circulation of the refrigerant, nor in particular the accessible parts around the compressor.

Only professional expert should intervene on the refrigerating system. Any refrigerant spilling out can injure your eyes .In the event of eye contact with the refrigerant, wash your eyes instantly with plenty of water and consult a doctor immediately.

The appliance according to its climate category, is meant for use at certain room temperatures lower than 38 $^\circ\!C$

4.Rating plate

The rating plate with the technical data is located on the side of the appliance inner or outside, on the rear side of the unit.

Take a note of the technical data

Copy here below the technical data from the rating plate so that it is easily accessible without having to move out the appliance.

- Model number:-----
- ross capacity:-----
- Net capacity:------
- Operation voltage:-----
- Maximum input power:-----
- Safety fuse:-----
- Energy consumption:-----
- Free ing capacity:-----

5. Connecting your appliance to the mains

our appliance must be connected only to a earthed power socket which complies to relevant standards and has been installed by an authori ed specialist. Before your plug in your appliance to the power socket, make absolutely sure that the voltage and the safety fuse for the main fuse box stated on the appliance rating plate match your electrical supply. If these do not match, please notify the nearest service department or your dealer immediately. The appliance must not be connected to an inverse rectifier (i.e. solar panels)

6. Using your appliance

Switching on / off and selecting levels on the thermostat

To switch on:

Turn the temperature dial to the right

The appliance has been switched on.

The compressor is activated until the set temperature inside the appliance has been reached

The temperature must be set according to:

- The appliance s room temperature
- uantity of the food
- ow often the appliance is opened

e recommend a medium setting. ou will soon learn, through observation, which is the most suitable setting for your re uirements.

Switching off:

Turn the dial as far to the left as possible, Then the compressor has been switched off

. Starting up the free er

1. Switch on the free er by turning the temperature dial to the right

2. If e uipped with a super free e switch, turn it on.

3. Do not open the door of the free er compartment for about hours, so that the temperature in the free er can drop to the necessary level.

. ou can now fill the free er with any amount of fro en food(Food which has been bought ready fro en).

. If you want to free e fresh, chilled food, consult the chapter free ing / storing fresh food.

Warning:

- Do not store any bottle li uids in the free er. i uids expand when fro en and the bottle may explode.
- Never keep explosive substances or aerosol cans with inflammable propellants such as butane, propane, pentane etc. in the free er. Any escaping gases could be ignited by electrical components. Such aerosol cans can be recogni ed by the list of contents or by the inflammable symbols printed on the can itself.
- hen storing ready fro en food, you must follow the manufacturer s instructions on the food packaging.
- Deep fro en ice-cream must not be eaten until a few minutes after being taken from the free er to avoid injury to lips and tongue. For the same reason, avoid touching the fro en inside walls of the free er with wet hands.
- Defrosted or slightly fro en products should be used immediately. As a rule, such products are not suitable for re-free ing.
- Packaging should be dry to avoid things free ing together.
- Ready fro en foods should be stored so that they do not come into contact with newly added foods which have not yet fro en.

7. Instructions for the fridge

Relevant instructions can be found in one of the following chapters.

8. Freezing / Storing fresh food

Almost all fresh products are suitable for free ing and storing in the free er. For the most common of these products, a storage guide with details of acceptable storage times and the most suitable packaging is provided.

abel fresh products clearly as they are not easy to identify when deep fro en in transparent free er bags. e recommend using commercially available labels for fro en foods.

Pack fresh products in portions suitable for your needs to avoid defrosting uantities that are too big for you to use up in one day.

abel the portions with at least the following information

Product name, weight of the portion, uantity, free ing date and best date for using.

Then continue as follows:

a) Berries, fruits with peel, herbs etc. should be laid out loose for free ing in the free er drawer and

then put into free er bags after about 12 hours. Store the filled free er bags in one of the available drawers. Fresh food should be placed in the top drawer and moved down to one of the lower drawers after approx 2 hours. Avoid putting fresh foods directly in contact with deep fro en food. The deep fro en food could defrost and may not last out the normal storage time.

b) ithin a period of 2 hours fill up the free er only with the ade uate uantities of fresh food for the free ing capacity of **your freezer. Consult the information on the rating plate)**

your neezer. Consult the information on the rating plate)

c) If your free er is e uipped with a super free e switch, switch it on. This is not strictly necessary when filling up with already fro en foods.

Warning! Switch off the super freeze switch after 24 hours at the latest.

d) Set the temperature dial to a medium to high setting.

e) eep the temperature in the free er under control preferably by placing a suitable thermometer with a scale range of up to

-2 .The storage temperature must always be at least -18

Refilling the freezer compartment with fresh foods

Make sure that you wait at least 2 hours before refilling with fresh food, in ade uate uantities for the free ing capacity of your free er.

Maximum capacity

In order to ensure correct storage of fro en food, never fill the drawers up to the top.

Set the temperature dial strictly according to the filling capacity.

To save energy in normal room temperatures we recommend setting the temperature dial to a medium setting.

Storage time

The storage time for ready deep-fro en products depends on the type of the products and on its ingredients. For this reason, you should strictly follow the producers instructions on the packaging.

hen you want to free e fresh foods yourself, consult the FOOD STORA E UIDE AT T E BAC OF T IS MANUA . Once fro en foods have been defrosted, they should be used up within between 12-2 hours.

Do not eat any food beyond its storage time, this could lead to food poisoning.

Precautions and advice

- henever cleaning or defrosting remove the power plug or switch off the main fuse.
- After closing the free er door, do not open it immediately and do not force it open under any circumstances. The vacuum created by the sealing of the door is dispersed after about 1-2 minutes, so that the door can be opened normally again.
- To prevent condensation and ice forming, allow cooked food to cool down to room temperature before closing the lid of the dish and before storage.
- eave the free er door open as briefly as possible to avoid wasting energy and to prevent and excessive amount of ice forming in the free er.
- Never use a screwdriver or any other sharp edged metal tool to remove the layers of ice. The inside walls are very delicate and can be easily damaged by sharp edges. Use only plastic or wooden scrapers with no sharp edges.

9. Cleaning and maintenance

As a firm rule, unplug the power plug or switch off at the mains.

For the upkeep of the external appearance of your fridge / free er, clean the outside every now and again with furniture polish or with an enamel protecting product. Clean the door seal with warm water now and again but do not use any cleaning products.

Clean your appliance regularly.

- The various parts inside the fridge / free er are generally not suitable for dishwasher. These should be washed by hand with warm water and a little washing up li uid. Never use the cleaning agent neat and on no account use any abrasive or acid, i.e. chemical cleaning agent is recommended.
- The rating plate should not be damaged and should never be removed, this is essential for servicing. Make sure when cleaning, that no water runs onto any electrical parts inside the appliance.
- If there is a heat exchanger, called condenser, on the back of your appliance, this should be cleaned regularly. Dust and dirt impede the release of heat from the inside and considerably increase energy consumption. For best results, use a soft brush or a duster to remove dust from the condenser.

Special tips for cleaning the fridge

Clean the drain hole in the fridge from time to time with for example, cotton buds, in order to keep it clear.

Instruction Manual

Switching off the appliance

If your appliance is going to be switched off for longer periods, it should be left opened to prevent odours from building up inside. If your appliance has a lock, set the lock in the "closed" position with the doors open and keep the key well away from small children to prevent accidents.

Ice and frost layers which build up to a certain thickness on the inside wall act as insulation and prevent the dispersion of the coldness. These must be removed from time to time. To remove the layers of ice from the inside walls, use a plastic or wood scraper with no sharp edges. When doing this, remove the drawers and lay a cloth on the bottom of the appliance to catch the ice as it is scraped off so that it can be easily removed.

The method least likely to damage your appliance when removing the layers of ice is to defrost it.

Defrosting

In normal circumstances the product should be defrosted by its own system, which is automatical .

Danger Warnings:

Never use electrical appliances to defrost your appliance, such as a hair dryer, fan heater, dehumidifiers, de-icing sprays or anything with a naked flame.

The plastic inside of your appliance could melt and the escaping gas or foam could be ignited by sparks or by the naked flame

On no account should a steam cleaning device be used to defrost the layers of ice in the appliance (great risk of an electric shock)

Proceed as follows to defrost your appliance

- 1. Provide a suitable non-metallic container
- 2. Make absolutely sure that you remove the plug from the power socket.
- Dry your hands thoroughly to prevent skin damage from the contact with ice
- Remove all frozen food from the freezer and foll it firmly in newspaper place it in the container already prepared and place the container in a cool, dry room.
- 5. Cover the container all around with a thick blanket.
- Remove the drawers by pulling them as far out as possible and then raising them slightly.

7. As described previously, scrape the thickest ice carefully from the freezer and put it in the kitchen sink.

8. If your appliance is equipped with a drip duct at the bottom, pull it out and place a bowl to catch the dripping water underneath.

9. If necessary, speed up defrosting by placing a large bowl of warm water on the bottom of the appliance and close the door.

10. If your appliance is not equipped with a drip duct, place an absorbent cloth underneath the front of the appliance and wipe up the defrosting water with a sponge.

11. Thoroughly clean the inside, wipe it out with warm water and a little vinegar and then rinse it out with clear water.

12. Dry it thoroughly with a soft cloth and air it for 3-4 minutes.

13. Close the door and plug the appliance back in

14. Reset the temperature dial to the maximum setting.

15. Now refill the drawers with the frozen food, the oldest items at the top.

To prevent the frozen food from defrosting, carry out the steps described above within two hours at the most.

10. Using the fridge

Switch on / off and selecting the temperature

The appliance is switched on automatically when it is plugged in and the power is switched on.

Temperature settings:

Turn dial left to Lowest setting = slight cooling

Turn dial right to highest setting = lowest temperature. The temperature must be set according to :

- Room temperature
- Quantity of stored foods
- How often the appliance is opened

We recommend a medium setting. You will soon learn, through observation, which is the most suitable setting for your requirements.

Internal lighting:

For those models equipped with internal lighting, a switch has been built in. When the fridge door is opened, the light automatically comes on and automatically goes off when the door is closed. The light bulb is protected by a transparent cover. Spare bulb should be Max.15W

When replacing the light bulb, follow the instructions given on the separate sheet or the illustration on last page of this user manual.

Changing the light bulb:

Never use a stronger light bulb than indicated above. The voltage indicated on the bulb must, in any case, comply with the relevant data marked on the rating plate of your appliance.

- Unplug the appliance from the main fuse.
- Remove the transparent lamp cover
- Remove the old bulb by unscrewing it and screw in the replacement bulb.
- Fit the lamp cover back in place.

Temperature range:

Thanks to the natural air circulation in the fridge there is a range of different temperatures which are suitable for the storage of different foods. The coldest areas are directly over the salad crisper, in the lowest part of the fridge and against the back wall, the warmest areas are in the front upper part and on the door. Arrange the foods according to the following table and store it not too tightly packed so that the air can circulate freely.

Storing food in the fridge (from the top to the bottom)

- 1. Door storage compartments
- a) Butter, cheese
- b) Eggs
- c) Small jars or bottles, tins, seasonings
- d) arger bottles, tins
- 2. Fridge compartment(shelves and crisper)
- a) Preserves
- b) Pastries, ready cooked foods
- c) Dairy / meats and sausages
- d) egetables, fruits and salad
 - ept in sealed containers or the packaging recommended overleaf. igh proof spirits should be stored tightly closed.
 - egetables, fruits, salad can be stored unpacked in the salad crispers.
 - Plastic and aluminium foils which can be reused, are suitable for packing food, as are metal or glass containers.
 - ot foods and drinks should always be allowed to cool down out of the fridge.

11. Troubleshooting guides:

igh uality manufacturing processes and the use of latest refrigerating and free ing technology will basically ensure the trouble free functioning of your appliance. If you suspect any fault, before contacting your nearest service department directly or via your dealer, make sure that you have followed all instructions and advice given in this user manual.

Please note:

The compressor must not operate continuously. It is controlled by a thermostat with which you set temperatures. It is perfectly normal to hear noise from the compressor when the refrigeration system is running.

In unheated rooms and in cold weather conditions, condensation can build up on the outer walls of the appliance. This does not mean there is fault and it will disappear when the temperature increases.

Only call the service department if after analysis of the possible fault factors, you can not find any cause for the defect or you are able to eliminate the fault.

- a) The appliance does not function (it is not running)
 - Is the plug in good order and is it plugged in the socket properly
 - Is the electricity coming through (check this by possibly plugging in a small appliance)
 - Is the appliance switched on (temperature dial should not be set to 0)

In the event of a fault or of a power failure, the insulation of the appliance walls provides 2 to 5 hours storage time for the frozen foods after the beginning of such failures.

Considerably more time is granted in specially insulated appliances. Ask your dealer what is the relevant Storage time in an emergency.

If it takes longer to eliminate a problem, the fro en food in the appliance begins to defrost. Therefore, take prompt action to eliminate the problem and, if necessary, move the fro en food to another free er (perhaps to another refrigerator)

b) our appliance is not cooling sufficiently. The free ing process is taking too long and the compressor is running too often

Please check:

 Did you make sure that the fridge / free er was left to stand for at least 2 hours before switching it on (To stabili e the circulation of the refrigerating fluid) see starting up

If not, unplug your appliance and lift it to one side, with the door closed, for a short while, i.e. tilt it and then place it back down on its feet again. After 2 hours plug it back in. Do not open the door again for about 12 hours.

The door does not close tightly and it not sealing properly. Test: place a sheet of paper between the seal and the casing and close the door. It should be difficult to pull out the paper on One or more sides, call your nearest service department.

- eavy ice forming on the inside walls of the free er (see cleaning and maintenance)
- The appliance is exposed to direct sunlight or it sited near a direct heat source.
- Protect the appliance against direct sunlight / check the distance from the heat source / place an insulation plate between the appliance and the source of heat. (see choosing where to install your appliance)
- The free er has been filled up with a uantity of fresh food which does not comply with the free ing capacity indicated on the rating plate
- Is the ventilation working properly, the ventilation grille covered or it the condenser on the outer rear wall full of dust

c) Your appliance is excessively noisy:

Please check:

 Is the cabinet standing level and steady are any nearby objects or items of furniture being vibrated by the cabinet Make sure everything at the rear is free, carefully bend back any parts touching.

Note: Slight bubbling noises are normal for this type of refrigeration system.

Warning:

On no account should you undertake any technical interventions or attempts at repair on your appliance.

12. Getting your appliance serviced:

Any repairs or interventions on the appliance should only be carried out by your nearest service department, as otherwise the user may run considerable risks and the guarantee may not longer be valid.

Consult the enclosed guarantee card or the separately enclosed list of after sales centers, to see which company is responsible for servicing your appliance.

If there is no indication of the nearest service department in the documentation provided., then contact your dealer.

Repairs by the service department to eliminate faults which have occurred because of non-adherence to the information and advice given in this user manual, have to be charged to the customer and are not covered by the guarantee.

In order to receive immediate help, make sure your have ready the following essential data to identify your appliance.

- Model number
- Date of purchase
- Name and place of your dealer
- Description of the fault

13. Guarantee:

The general terms and duration of the guarantee are those stated on the guarantee card or indicated

14. Building in the appliance

Relevant instructions are included among the other appliance documentations


As these products are subject to continual improvement,

they are subject to change without prior notice.

STORAGE TABLE						
	Suitable packaging	Approx. Storage time in weeks				
Fresh food		2-3			8	10-12
Mincemeat	Polyethylene bag	•				
Sausages	Polyethylene bag	•				
Small fish	Polyethylene bag	•				
eart / liver	Polyethylene bag	•				
Ice cream	Plastic container	•				
Fruit	Plastic container	•				
Cheese	Polyethylene bag		•			
Bread	Polyethylene bag		•			
arge fish	Polyethylene bag		•			
Cake / Biscuits	lass container		•			
Pork	Aluminium foil			•		
Beef	Aluminium foil			•		
amb	Aluminium foil			•		
Mushrooms	Polyethylene bag			•		
Asparagus	Polyethylene bag			•		
egetables	Polyethylene bag			•		
Strawberries	Polyethylene bag			•		
Flans	Aluminium foil			•		
Chicken	Aluminium foil				•	
Turkey	Aluminium foil				•	
Duck	Aluminium foil				•	
oose	Aluminium foil				•	
Cauliflower	Polyethylene bag					•
Beans	Polyethylene bag					
Pepperoni	Polyethylene bag					
Preserves	lass container					
Preserved fruit	lass container					
Ice ollies	Aluminium foil					

Remarks: The above data are only for reference, not suitable for all occasions.

efrigerator Diagram



This diagram may very slightly with the layout of the refrigerator you have just purchased due to technical improvements.



For more information on Prima appliances, please visit www.primaappliancecare.co.uk For all your In-warranty service calls, phone 0844 576 6841