


Pullout Kitchen Faucet Installation





<p>Product Specification</p> <table border="0"> <tr> <td>Minimum Pressure</td> <td>Maximum Pressure</td> </tr> <tr> <td>1.0bar</td> <td>6.0bar</td> </tr> </table>		Minimum Pressure	Maximum Pressure	1.0bar	6.0bar
Minimum Pressure	Maximum Pressure				
1.0bar	6.0bar				

Counter Balance Pullout Spout

<p>①</p>	<p>②</p>
----------	----------

<p>③</p>	<p>④</p>
<p>⑤</p>	<p>⑥</p>


Spring Load Pullout Spout



Cleaning All surfaces should be cleaned using a clean damp cloth. No abrasive cleaning agents or materials should be used.

Flexible Connecting Pipes

Care must be taken when connecting the flexible connection pipes to the household pipework to ensure they do not bend sharply and kink or twist.



Important: Failure to follow these guidelines may result in poor performance and damage to the flexible connecting pipes.

Check out our full range of Kitchen Products

Kitchen Sinks

Stainless Steel Kitchen Sinks

Granite Composite Kitchen Sinks

Glass Kitchen Sinks

Ceramic Kitchen Sinks

Franke Kitchen Sinks

Kitchen Taps

Contemporary Kitchen Taps

Traditional Kitchen Taps

Franke Kitchen Taps

Pull out Rinser Kitchen Taps

Instant Boiling Water Taps

Insinkerator Waste Disposal Units

plumbworld
Big brands, small prices.