Life in your bathroom

HANDDUKSTORKAR / HÅNDKLÆDETØRRE / HÅNDKLETØRKER
PYYHEKUIVAIMET / HANDTUCHWÄRMER / HEATED TOWER RAILS

FK712	FK712+FK723
FK714	FK714+FK723
FK715	FK715+FK723

DRY BY SMEDBO

FITTING INSTRUCTIONS



FK712	FK714	FK715
FK712+FK723	FK714+FK723	FK715+FK723
60W	120W	25W
220-240V AC, 50Hz,Class 1/Schutzklasse 1,IP44		

SMEDBO®

UK

DRY Towel warmers FK712/714/715

Read and save these instructions.

WARNING:

To avoid danger to small children, this appliance should be installed so that the lowest heated connection point is located at least 600 mm above the floor. The towel dryer must be mounted so that the switch and other plugs cannot be touched by a person in the bath or the shower. This towel dryer can be used by children aged 8 and above, as well as by persons with reduced physical, sensory or mental capacity or lack of experience and knowledge, provided that they are supervised or receive instructions concerning how to use the towel dryer safely and that they understand the risks. Children must not play with the towel dryer. Cleaning and maintenance must not be performed by unsupervised children. The towel warmer may reach a temperature of 50°C, which may feel too hot to touch. It is equipped with overheat protection, so that it automatically cuts off if it gets too hot. The towel warmer must then be manually turned on again.


Protect yourself and others by familiarising yourself with all safety information. Not following the instructions properly can result in personal injury and/or damage to property. Basic precautions must always be followed when using electrical equipment in order to reduce the risk of fire, electric shocks and personal injury. Bear the following in mind:


1. Electrical installations in bath- and shower room may only be carried out by qualified professionals.
2. The towel dryer must be positioned according to the relevant safety requirements for bathrooms. It must be located in the correct zone with regard to the fact that the product is type approved according to IP44. The dryer is classified for zone 2 ”at least 0.6 m outside bathtub or shower cubicle”. NOTE. When installing mains plug, no part of the product may touch zone 2 even though the actual socket for the mains plug is located in an unspecified area.
3. Do not use the towel dryer if it is exhibiting problems, has been dropped on the floor or has been damaged in any way. Take it to an authorised service workshop for examination/ repair.
4. Do not use the radiator outdoors
5. Only use the towel dryer as set out in the descriptions in this manual. Other modes of use that are not recommended by the manufacturer can cause fire, electric shock or personal injury.
6. Ensure that the power supply corresponds with the electrical specifications for this towel dryer.
7. Never immerse the towel dryer in any form of liquid.
8. To disconnect the towel dryer, put the switch in the ”off” position and then remove the plug from the wall socket.
9. The towel dryer must be positioned in such a way that the main switch is not accessible to a person who is in the bath or shower.
10. WARNING: This appliance is intended solely for drying textiles that are damp/wet with water.
11. If the power supply cord is damaged it must be changed by a qualified electrician in order to avoid danger.
12. Keep children under supervision so that they do not play with the towel dryer.
13. This appliance should be equipped with fixed cabling and all-pole power shut-off.
14. For the warranty to apply with fixed mounting, the towel dryer’s function must be tested before installation.


FK712	FK714	FK715
FK712+FK723	FK714+FK723	FK715+FK723
60W	120W	25W
220-240V AC, 50Hz,Class 1/Schutzklasse 1,IP44		


DRY FITTING INSTRUCTIONS


FK712/714/715





















FK712	FK714	FK715
FK712+FK723	FK714+FK723	FK715+FK723
60W	120W	25W
220-240V AC, 50Hz,Class 1/Schutzklasse 1,IP44		



IMPORTANT!

UK Electrical installations must be performed by an authorized electrician.
DE Elektrische Installationen dürfen nur vom zuständigen Fachmann ausgeführt werden.
SE Fast el-installation får enbart utföras av behörig fackman.
DK Fast el-installation må kun udføres af en fagmand.
FI Kiinteän sähköasennuksen voi suo rittaa vain valtuutettu sähköalan ammattilainen.
NO Fast el-installasjon må kun utføres av autorisert elektriker.

FK712	FK714	FK715
FK712+FK723	FK714+FK723	FK715+FK723
60W	120W	25W
220-240V AC, 50Hz,Class 1/Schutzklasse 1,IP44		

DRY FUNCTIONS: (does not apply to FK715)



UK
Functions:
1. Pressing the ON/ OFF button once, activates the towel dryer and it is constantly on.
2. Pressing the 2H button turns the towel dryer off automatically after two hours.
3. Pressing the 4H button turns the towel dryer off automatically after four hours.
4. Pressing the ON/ OFF button a second time turns the towel dryer off. If the power is turned off, the towel dryer's mode returns to off and is started again by pressing the ON/ OFF button.

DE
Funktionen:
1. Durch Betätigen der EIN/AUS-Taste wird der Handtuchwärmer eingeschaltet.
2. Durch Betätigen der Taste 2H wird der Handtuchwärmer nach zwei Stunden automatisch abgeschaltet.
3. Durch Betätigen der Taste 4H wird der Handtuchwärmer nach vier Stunden automatisch abgeschaltet.
4. Durch nochmaliges Betätigen der EIN/ AUS-Taste wird der Handtuchwärmer abgeschaltet. Bei einem Netzausfall schaltet der Handtuchwärmer ab und muss durch Betätigen der EIN/ AUS -Taste erneut eingeschaltet wer den.

SE
Funktioner:
1. När ON/ OFF knappen trycks in en gång aktiveras handdukstorken och är konstant på.
2. När 2H knappen trycks in stängs handdukstorken av automatiskt efter två timmar.
3. När 4H knappen trycks in stängs handdukstorken av automatiskt efter fyra timmar.
4. När ON/ OFF knappen trycks in andra gången stängs handukstorken av. Om strömmen stängs av kommer handdukstorkens läge att återgå till avstängt och startas igen genom att åter trycka på ON/ OFF knappen.

DK
Funktioner:
1. Når der trykkes på ON/OFF-knappen én gang, tændes håndklædetørreren, og er konstant tændt.
2. Når der trykkes på 2H-knappen, slukkes håndklædetørreren automatisk efter to timer.
3. Når der trykkes på 4H-knappen, slukkes håndklædetørreren efter fire timer.
4. Når der trykkes på ON/OFF-knappen anden gang, slukkes håndklædetørreren. Hvis der slukkes for strømmer, vender håndklædetørrerens tilstand tilbage til slukket, og tændes igen ved at trykke på ON/OFF-knappen.

FI
Toiminnot:
1. Kun ON/OFF-painiketta painetaan yhden kerran, pyyhekuivain käynnistyy ja on jatkuvasti päällä.
2. Kun 2H-painiketta painetaan, pyyhekui vain sammuu automaattisesti kahden tunnin jälkeen.
3. Kun 4H-painiketta painetaan, pyyhekui vain sammuu automaattisesti neljän tunnin jälkeen.
4. Kun ON/OFF-painiketta painetaan toisen kerran, pyyhekuivain sammuu. Mikäli virta katkaistaan, pyyhekuivain siirtyy pois päältä -asentoon ja se käynnistyy uudelleen ON/OFF-painiketta painamalla.

NO
Funksjoner:
1. Når ON/OFF-knappen trykkes inn én gang, aktiveres håndkletørkeren, og den er konstant på.
2. Når 2H-knappen trykkes inn, slår hånd kletørkeren seg av automatisk etter to timer.
3. Når 4H-knappen trykkes inn, slår hånd kletørkeren seg av automatisk etter fire timer.
4. Når ON/OFF-knappen trykkes inn for andre gang, slås håndkletørkeren av. Ved strømbrudd vil håndkletørkeren slå seg av. Siden kan den slås på ved at man trykker på ON/OFF-knappen.

FK712	FK714
FK712+FK723	FK714+FK723
60W	120W
220-240V AC, 50Hz,Class 1/Schutzklasse 1,IP44	

UK

Specifications:



220-240V AC, 50Hz, Class 1, IP44
FK712-60W, FK712+FK723-60W
FK714-120W, FK714+FK723-120W
FK715-25W, FK715+FK723-25W

Correct disposal of this product

This label indicates that the product must not be discarded with other domestic waste within the EU. To prevent any damage to the environment or people's health from uncontrolled waste disposal, it is recycled in order to promote sustainable re-use of material resources. To return the used unit, use the recycling and collection system available or contact the retailer where the product was purchased. They can accept this product for environmentally safe recycling.

Warranty

Smedbo guarantees the product's operation for a period of 5 years from the date of purchase. If defects in the product's operation appear within the warranty period we undertake, on presentation of a receipt or some other proof of purchase, to repair or replace it with an equivalent product or, if this is not possible, to refund the price the customer paid for the item. The customer shall notify Smedbo of the problem in writing at the earliest opportunity after discovering the defect in the product's operation. Smedbo's warranty undertaking applies solely to the actual product and not to any consequential damage that might occur. The warranty is valid provided that the defect is not due to the customer's negligence or abnormal use.This warranty does not affect the customer's statutory rights.

DE

Specifikationen:

220-240V AC, 50Hz, Schutzklasse 1, IP44
FK712-60W, FK712+FK723-60W
FK714-120W, FK714+FK723-120W
FK715-25W, FK715+FK723-25W

Richtige Entsorgung des Geräts

Diese Kennzeichnung weist darauf hin, dass das Produkt innerhalb der EU nicht als Haushaltsabfall entsorgt werden darf. Zum Schutz der Umwelt und der Gesundheit vor den Folgen einer unkontrollierten Entsorgung wird das Gerät recycelt, um eine nachhaltige Wiederverwendung der Ausgangsmaterialien zu ermöglichen. Das Gerät zum Recycling einem vorhandenen Recycling- oder Entsorgungssystem zuführen oder den Händler kontaktieren, bei dem es erworben wurde. Über den Händler kann das Produkt umweltfreundlich recycelt werden.

Garantie

Smedbo gewährt für das Produkt eine Funktionsgarantie von 5 Jahren ab dem Kaufdatum. Wenn während des Garantiezeitraums Mängel am Gerät auftreten, verpflichten wir uns, das Gerät gegen Vorlage des Kassenzettels oder eines anderen Kaufbelegs zu reparieren oder durch ein gleichwertiges Gerät zu ersetzen. Wenn dies nicht möglich ist, erstatten wir den für das Gerät gezahlten Kaufpreis. Der Kunde ist verpflichtet, Smedbo nach der Feststellung von Funktionsmängeln sofort schriftlich darüber in Kenntnis zu setzen. Die Garantieverpflichtung seitens Smedbo gilt nur für das Produkt an sich, nicht für eventuell auftretende Folgeschäden. Die Garantie gilt unter der Voraussetzung, dass der Mangel nicht vom Kunden durch falsche Behandlung oder Nutzung des Geräts hervorgerufen wurde. Diese Garantie hat keine Auswirkung auf die dem Kunden gesetzlich zustehenden Ansprüche.

FK712	FK714	FK715
FK712+FK723	FK714+FK723	FK715+FK723
60W	120W	25W
220-240V AC, 50Hz,Class 1/Schutzklasse 1,IP44		

UK Products which carry these symbols meet European electrical safety requirements according to EU legislation through tests carried out by third parties.

.

DE Diese Symbole zeigen, dass entsprechend gekennzeichnete Produkte die europäischen Anforderungen an die elektrische Sicherheit nach EU-Recht erfüllen, was durch externe Tests nachgewiesen wurde.

SE Produkter som bär dessa symboler visar att de enligt europeiska elektriska säker-hetskrav och enligt EU-lagstift ning uppfylles genom test från tredje part.

DK Produkter, som er mærket med disse symboler, opfylder de europæiske elektriske sikker hedskrav i henhold til EU-lov-givningen, gennem tests udført af tredjepart.

FI Näillä symboleilla varustetut tuotteet täyttävät EU:n sähkölaitteita koskevat turvallisuusvaatimukset, jotka täyttyvät kolmannen osapuolen suorittaman testin kautta.

NO Produkter som er merket med disse symbolene, oppfyller europeiske elektriske sikker hetskrav i henhold til EU-lovgivningen. Oppfylles ved tester utført av tredjepart.

Tested by Intertek
Rating for 220-240V AC, 50Hz, Class I, IP44
According to: The EMC directive (2004/30/EU)

Tested by Intertek
According to: EC declaration of confirmity
CE marking & LVD directive 2014735/EU

Tested by Intertek in compliances with the product safety law.

SWEDEN
SMEDBO AB
GRUSTAGSGATAN 1
254 64 HELSINGBORG

SMEDBO

TEL VXL +46 42 251500
FAX +46 42 251515
INFO@SMEDBO.SE
WWW.SMEDBO.NET

E627-70008REVG