

# stuart

## Submersible Pumps

The Supervort 140A and 240A submersible pumps are designed for the transference of dirty water and are capable of handling semi-solids in suspension of up to 20 mm diameter.

These pumps are compact in design, easy to install and feature an external adjustable float switch.






#### Features

- External adjustable float switch
- 25 or 32 mm bore hose connector
- Suction to a remaining depth of 120 mm
- Passes suspended particles up to 20 mm diameter
- Top vertical outlet connection

#### Application

• Ideal for ponds with large gravity fed filter systems where the pump can be incorporated in the filter, with suitable protection to allow water only to enter the pump.




pumpassist HELPLINE +44 (0) 800 31 969 80



# stuart

Pump Model		Supervort 140A 50 Hz 46541	Supervort 240A 50 Hz 46542
General	Guarantee	1 year	
Features	Pump type	Submersible	
	Seal	Double lip	
	Automatic float switch	✓	$\checkmark$
Materials	Pump body	Polypropylene	
	Impeller	Plastic	
Performance	Maximum head (closed valve)	5.0 metres	7.4 metres
	Maximum immersion depth	7 metres	
	Minimum immersion depth	120 mm	
	Performance @ 50 l/min	3.7 metres	6.5 metres
	Performance @ 100 l/min	2.4 metres	5.2 metres
	Maximum flow	140 l/min	240 l/min
	Min / Max water temperature	Min 4 °C / Max 35 °C	
Connections	Pump connections	G 1½ female	
	Hose Connector	G 1 male x G 1½ female x 25 or 32 mm bore hose	
Motor	Туре	Induction, auto-reset thermal trip	
	Duty rating	Continuous	
Electrical	Power supply / phase / frequency	230 V a.c. / 1 / 50 Hz	
	Current (full load)	1.4 Amps	2.3 Amps
	Power consumption	320 Watts	513 Watts
	Fuse rating	5 Amps	
	Power cable (pre-wired)	10 metres	
Physical	Enclosure protection	IPX8	
	Length	260 mm	
	Width	158 mm	
	Height (excluding hoses)	334 mm	
	Weight (including fittings)	4.2 Kg	5.4 Kg
Optional accessories	Lay flat hose 32 mm x 5 m	Pt No 19965	
	Lay flat hose 32 mm x 10 m	Pt No 19966	
	Lay flat hose 32 mm x 15 m*	Pt No 20363	

\*This hose is only suitable for the Supervort 240A model.



Stuart Turner Ltd, Henley-on-Thames, Oxfordshire RG9 2AD Tel: +44 (0)1491 572655 Fax: +44 (0)1491 573704 www.stuart-turner.co.uk Stuart Turner Limited reserves the right to amend specifications without notice.

PUMPASSIST HELPLINE +44 (0) 800 31 969 80

Pt. No. 28465 Issue 2617/1-05

## Check out our full range of Plumbing Supplies

Plumbing wastes / Plumbing traps Plumbing Consumables Plumbing Tools Toilet Fittings Brassware Valves Plumbing Fittings

> **plumbworld Big brands,** small prices.