



GAS FIRES
COLLECTION



THE PURE WARMTH OF A GAS FIRE

Combining affordable heating with stylish design for modern living, Valor gas fires are designed to warm the very heart of the home. Nothing creates a warm atmosphere quite like a gas fire and Valor has been heating homes for generations.

Valor’s pioneering technology and continued dedication has led the brand to become one of the most trusted gas fire manufacturers in the UK, with an extensive collection that includes a range of gas fires, gas stoves and wall-heaters.

With an abundance of information to digest, we understand it’s not always an easy task to choose the right gas fire for your home. With a vast array of fire types, not to mention the complexities of chimney installations, sometimes you need a helping hand to advise you through the process.

That’s why we have worked closely with some of the leading independent fire and fireplace retailers across the UK to create a network of retailers, perfectly placed to offer you the expert advice and individual service you demand.

Visit www.valor.co.uk/find-a-retailer to find a local retailer.

INTRODUCTION	2	GAS STOVES	36
		Brunswick Gas Stove	37
		Ridlington Gas Stove	38
INSET FIRES	4	OUTSET FIRES	39
Allure FD Convector - Alton	5	Black Beauty Slimline	40
Allure FD Convector - Bauhaus	6	Firecharm LFE	41
Allure FD Convector - Blenheim	7	Firecharm RS	42
Allure FD Convector - Clifton	8	Heartbeat	43
Allure FD Convector - Downton	9	Sahara LFE	44
Trueflame FD Convector - Alton	10	Valentia Balanced Flue	45
Trueflame FD High Efficiency - Alton	11		
Trueflame FD Convector - Bauhaus	12	RADIANT FIRES	46
Trueflame FD High Efficiency - Bauhaus	13	Black Beauty	47
Trueflame FD Convector Blenheim	14	Brava	48
Trueflame FD High Efficiency - Blenheim	15	Firelite	49
Trueflame FD Convector - Clifton	16	Firegem Visa	50
Trueflame FD High Efficiency - Clifton	17	Firegem Visa Deluxe	51
Trueflame FD Convector - Downton	18	Firegem Visa Highline	52
Trueflame FD High Efficiency - Downton	19	Helmsley	53
Blenheim SL Hotbox	20	Sahara	54
Classica FD High Efficiency	21		
Dream FD/SL Convector	22	WALL HEATERS	55
Dream FD/SL High Efficiency	23	Brazilia F5	56
Dream Balanced Flue	24	Brazilia F5S	57
Excelsior FD/SL Convector	25	Brazilia F8S	58
Excelsior FD/SL High Efficiency	26	Brazilia F8ST	59
Excelsior Balanced Flue	27		
Masquerade FD/SL Convector	28	TECHNICAL INFORMATION	60
Masquerade FD/SL High Efficiency	29	Allure & Trueflame trim & fret options	61
Masquerade Balanced Flue	30	What type of fire do you want?	62
Harmony FD High Efficiency	31	Fireplace openings	64
Majestic Decorative	32	Technical table	65
Modenza High Efficiency	33		
Petrus FD/SL High Efficiency	34		
Seattle SL Hotbox	35		



INSET FIRES



COLOUR OPTIONS

Black Brushed chrome,
Brass, Chrome



EFFICIENCY

64.5%



MAX HEAT OUTPUT

4.0kW



FUEL TYPE

Natural gas
LPG (Manual & Fireslide)
LPG kit - X-0595211



CHIMNEY TYPE

Brick chimney
Pre fabricated flue



CONTROLS

Manual, Fireslide
& Remote



TRIM OPTIONS

Full trim
Inlay trim



FIRE TYPE

Full depth open
fronted convector

Allure full trim - Alton black



SHOWROOM
EXCLUSIVE



SHOWROOM
EXCLUSIVE

Allure full trim - Bauhaus brass



COLOUR OPTIONS
Black, Brushed chrome,
Brass, Chrome



EFFICIENCY
64.5%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas
LPG (Manual & Fireslide)
LPG kit - X-0595211



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Manual, Fireslide
& Remote



TRIM OPTIONS
Full trim
Inlay trim



FIRE TYPE
Full depth open
fronted convector



SHOWROOM
EXCLUSIVE

Allure inlay trim - Blenheim brass



COLOUR OPTIONS
Black, Brushed chrome,
Brass, Chrome



EFFICIENCY
64.5%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas
LPG (Manual & Fireslide)
LPG kit - X-0595211



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Manual, Fireslide
& Remote



TRIM OPTIONS
Full trim
Inlay trim



FIRE TYPE
Full depth open
fronted convector



Allure full trim - Clifton chrome



COLOUR OPTIONS
Black, Brushed chrome,
Brass, Chrome



EFFICIENCY
64.5%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas
LPG (Manual & Fireslide)
LPG kit - X-0595211



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Manual, Fireslide
& Remote



TRIM OPTIONS
Full trim
Inlay trim



FIRE TYPE
Full depth open
fronted convector



Allure inlay trim - Downton Brushed chrome



COLOUR OPTIONS
Black, Brushed chrome,
Brass, Chrome



EFFICIENCY
64.5%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas
LPG (Manual & Fireslide)
LPG kit - X-0595211



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Manual, Fireslide
& Remote



TRIM OPTIONS
Full trim
Inlay trim



FIRE TYPE
Full depth open
fronted convector



Trueflame half trim - Alton brass



COLOUR OPTIONS

Brass,
Chrome



EFFICIENCY

64.5%



MAX HEAT OUTPUT

4.0kW



FUEL TYPE

Natural gas & LPG
LPG kit - 0595211



CHIMNEY TYPE

Brick chimney
Pre fabricated flue



CONTROLS

Fireslide



TRIM OPTIONS

Full trim
Half trim



FIRE TYPE

Full depth open
fronted convector



Trueflame half trim - Alton chrome



COLOUR OPTIONS

Brass,
Chrome



EFFICIENCY

85%



MAX HEAT OUTPUT

3.85kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue



CONTROLS

Fireslide



TRIM OPTIONS

Full trim
Half trim



FIRE TYPE

Full depth glass
fronted high efficiency



Trueflame full trim - Bauhaus chrome



COLOUR OPTIONS

Brass,
Chrome



EFFICIENCY

64.5%



MAX HEAT OUTPUT

4.0kW



FUEL TYPE

Natural gas & LPG
LPG kit - 0595211



CHIMNEY TYPE

Brick chimney
Pre fabricated flue



CONTROLS

Fireslide



TRIM OPTIONS

Full trim
Half trim



FIRE TYPE

Full depth open
fronted convector



Trueflame half trim - Bauhaus brass



COLOUR OPTIONS

Brass,
Chrome



EFFICIENCY

85%



MAX HEAT OUTPUT

3.85kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue



CONTROLS

Fireslide



TRIM OPTIONS

Full trim
Half trim



FIRE TYPE

Full depth glass
fronted high efficiency



Trueflame full trim - Blenheim brass

							
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	TRIM OPTIONS	FIRE TYPE
Brass, Chrome	64.5%	4.0kW	Natural gas & LPG LPG kit - 0595211	Brick chimney Pre fabricated flue	Fireslide	Full trim Half trim	Full depth open fronted convector



Trueflame full trim - Blenheim chrome

							
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	TRIM OPTIONS	FIRE TYPE
Brass, Chrome	85%	3.85kW	Natural gas	Brick chimney Pre fabricated flue	Fireslide	Full trim Half trim	Full depth glass fronted high efficiency



Trueflame half trim - Clifton chrome



COLOUR OPTIONS
Brass,
Chrome



EFFICIENCY
64.5%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas & LPG
LPG kit - 0595211



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Fireslide



TRIM OPTIONS
Full trim
Half trim



FIRE TYPE
Full depth open
fronted convector



Trueflame full trim - Clifton chrome



COLOUR OPTIONS
Brass,
Chrome



EFFICIENCY
85%



MAX HEAT OUTPUT
3.85kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Fireslide




TRIM OPTIONS
Full trim
Half trim



FIRE TYPE
Full depth glass
fronted high efficiency



Trueflame full trim - Downton chrome

							
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	TRIM OPTIONS	FIRE TYPE
Brass, Chrome	64.5%	4.0kW	Natural gas & LPG LPG kit - 0595211	Brick chimney Pre fabricated flue	Fireslide	Full trim Half trim	Full depth open fronted convector



Trueflame full trim - Downton brass

							
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	TRIM OPTIONS	FIRE TYPE
Brass, Chrome	85%	3.85kW	Natural gas	Brick chimney Pre fabricated flue	Fireslide	Full trim Half trim	Full depth glass fronted high efficiency



Blenheim - chrome



Classica - pewter



COLOUR OPTIONS
Black, Brass,
Chrome



EFFICIENCY
56%



MAX HEAT OUTPUT
3.1kW



FUEL TYPE
Natural gas & LPG
LPG kit - 0595221



CHIMNEY TYPE
Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS
Manual



FIRE TYPE
Slimline open
fronted hotbox



COLOUR OPTIONS
Pewter



EFFICIENCY
85%



MAX HEAT OUTPUT
3.85kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Fireslide



FIRE TYPE
Full depth glass
fronted high efficiency



Dream full depth - pale gold



Dream full depth - chrome

Dream slimline - chrome



COLOUR OPTIONS

Black, Chrome,
Pale gold



EFFICIENCY

Full depth - 64.5%
Slimline - 61%



MAX HEAT OUTPUT

Full depth - 4.0kW
Slimline - 3.3kW



FUEL TYPE

Natural gas & LPG -
LPG kit FD X-0595211
LPG kit SL X-0595221



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue (slimline only)



CONTROLS

Fireslide



FIRE TYPE

Full depth & slimline
open fronted convector



COLOUR OPTIONS

Black, Chrome,
Pale gold



EFFICIENCY

Full depth - 85%
Slimline - 80%



MAX HEAT OUTPUT

Full depth - 3.85kW
Slimline - 3.1kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue (slimline only)



CONTROLS

Fireslide



FIRE TYPE

Full depth & slimline
glass fronted high efficiency



COLOUR OPTIONS

Black, Chrome,
Pale gold



EFFICIENCY

84%



MAX HEAT OUTPUT

2.8kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

No chimney
or flue required



CONTROLS

Top side



SPACER KIT

Optional 3" X-0595131
Optional 5" X-0595121



FIRE TYPE

Glass fronted
balanced flue

Dream - black



COLOUR OPTIONS

Black nickel,
Pale gold



EFFICIENCY

Full depth - 64.5%
Slimline - 61%



MAX HEAT OUTPUT

Full depth - 4.0kW
Slimline - 3.3kW



FUEL TYPE

Natural gas & LPG -
LPG kit FD X-0595211
LPG kt SL X-0595221



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue (slimline only)



CONTROLS

Fireslide



FIRE TYPE

Full depth & slimline
glass fronted high efficiency

Excelsior slimline - black nickel

Excelsior full depth - pale gold



COLOUR OPTIONS

Black nickel,
Pale gold



EFFICIENCY

Full depth - 85%
Slimline - 80%



MAX HEAT OUTPUT

Full depth - 3.85kW
Slimline - 3.1kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue (slimline only)



CONTROLS

Fireslide



FIRE TYPE

Full depth & slimline
glass fronted high efficiency



COLOUR OPTIONS

Black nickel,
Pale gold



EFFICIENCY

84%



MAX HEAT OUTPUT

2.8kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

No chimney
or flue required



CONTROLS

Top side



SPACER KIT

Optional 3" X-0595131
Optional 5" X-0595121



FIRE TYPE

Glass fronted
balanced flue



Masquerade slimline - pale gold

Masquerade full depth - black nickel



Masquerade slimline - black nickel

Masquerade full depth - pale gold



COLOUR OPTIONS

Black nickel,
Pale gold



EFFICIENCY

Full depth - 64.5%
Slimline - 61%



MAX HEAT OUTPUT

Full depth - 4.0kW
Slimline - 3.3kW



FUEL TYPE

Natural gas & LPG -
LPG kit FD X-0595211
LPG kit SL X-0595221



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue (slimline only)



CONTROLS

Fireslide



FIRE TYPE

Full depth & slimline
open fronted convector



COLOUR OPTIONS

Black nickel,
Pale gold



EFFICIENCY

Full depth - 85%
Slimline - 80%



MAX HEAT OUTPUT

Full depth - 3.85kW
Slimline - 3.1kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue (slimline only)



CONTROLS

Fireslide



FIRE TYPE

Full depth & slimline
glass fronted high efficiency



Masquerade - black nickel



COLOUR OPTIONS
Black nickel,
Pale gold



EFFICIENCY
84%



MAX HEAT OUTPUT
2.8kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
No chimney
or flue required



CONTROLS
Top side



SPACER KIT
Optional 3" X-0595131
Optional 5" X-0595121



FIRE TYPE
Glass fronted
balanced flue



Harmony - black



COLOUR OPTIONS
Black, Silver,
Champagne



EFFICIENCY
85%



MAX HEAT OUTPUT
3.85kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Fireslide



FIRE TYPE
Full depth glass
fronted high efficiency



Majestic - black



COLOUR OPTIONS
Black



FUEL TYPE
Natural gas & LPG
LPG kit - X-0595211



CHIMNEY TYPE
Brick chimney
Pre fabricated flue



CONTROLS
Manual



FIRE TYPE
Decorative gas fire



Modenza - brushed chrome



COLOUR OPTIONS
Black, Brushed chrome,
Chrome



EFFICIENCY
75%



MAX HEAT OUTPUT
3.8kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick Chimney



CONTROLS
Fireslide



FIRE TYPE
Built-in glass
fronted high efficiency



Petrus slimline - silver chrome

Petrus full depth - black chrome



COLOUR OPTIONS

Black chrome,
Silver chrome



EFFICIENCY

Full depth - 85%
Slimline - 80%



MAX HEAT OUTPUT

Full depth - 3.85kW
Slimline - 3.1kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue (slimline only)



CONTROLS

Fireslide



FIRE TYPE

Full depth & slimline
glass fronted high efficiency



COLOUR OPTIONS

Brushed steel



EFFICIENCY

56%



MAX HEAT OUTPUT

3.1kW



FUEL TYPE

Natural gas & LPG
LPG kit - X-0595221



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS

Manual



FIRE TYPE

Slimline open
fronted hotbox



Seattle - brushed steel

GAS STOVES



Brunswick - black


COLOUR OPTIONS
Black


EFFICIENCY
81%


MAX HEAT OUTPUT
4.0kW


FUEL TYPE
Natural gas & LPG
LPG kit - X-0591011


CHIMNEY TYPE
Brick chimney
Top flue (4")


CONTROLS
Manual


FUEL BED
Coal


FIRE TYPE
Freestanding
gas stove



Ridlington - black logs



COLOUR OPTIONS

Black



EFFICIENCY

77%



MAX HEAT OUTPUT

4.7kW



FUEL TYPE

Natural gas & LPG
LPG kit -X-0595261
(manual only)



CHIMNEY TYPE

Brick chimney
Top flue (5")



CONTROLS

Manual
Remote



FUEL BED

Coal
Logs



FIRE TYPE

Freestanding
gas stove

OUTSET FIRES



Black Beauty - black



Control handle



COLOUR OPTIONS
Black/brass



EFFICIENCY
88%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS
Side manual



FIRE TYPE
Glass fronted outset



Firecharm LFE - black



Disability control handle



COLOUR OPTIONS
Black,
Bronze



EFFICIENCY
88%



MAX HEAT OUTPUT
4.4kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue
Pre-cast flue




CONTROLS
Top electronic



FIRE TYPE
Glass fronted outset



Firecharm RS - bronze



COLOUR OPTIONS

Black,
Bronze



EFFICIENCY

88%



MAX HEAT OUTPUT

3.57kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

No chimney
or fue required



CONTROLS

Top electronic



FLUE

75/203mm X-SP993241
200/356mm X-SP993240
356/510mm X-993239



FIRE TYPE

Glass fronted
balanced flue outset

Note: Medium flue is supplied with this fire



Heartbeat - black



COLOUR OPTIONS

Black/brass



EFFICIENCY

78%



MAX HEAT OUTPUT

3.6kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS

Side manual



FIRE TYPE

Glass fronted outset



Sahara LFE - bronze



Valentia - black

							
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	FLUE	FIRE TYPE
Bronze/brass, Pewter/brass,	88%	4.4kW	Natural gas	No chimney or fue required	Top electronic	75/203mm X-SP993241 200/356mm X-SP993240 356/510mm X-993239	Glass fronted balanced flue outset

Note: Medium flue is supplied with this fire

RADIANT FIRES



Black Beauty - black



COLOUR OPTIONS
Black



EFFICIENCY
81%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS
Top manual or electronic



FIRE TYPE
Outset radiant



COLOUR OPTIONS
Teak



EFFICIENCY
81%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS
Top manual or electronic



FIRE TYPE
Radiant outset



COLOUR OPTIONS
Black



EFFICIENCY
81%



MAX HEAT OUTPUT
4.0kW



FUEL TYPE
Natural gas



CHIMNEY TYPE
Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS
Top manual or electronic



FIRE TYPE
Radiant outset



COLOUR OPTIONS

Black/brass,
Black/chrome,
Olive/brass



EFFICIENCY

89%



MAX HEAT OUTPUT

4.87kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated flue
Pre-cast flue



CONTROLS

Top manual



FIRE TYPE

Radiant outset



COLOUR OPTIONS

Black/brass,
Black/chrome,
Olive/brass



EFFICIENCY

89%



MAX HEAT OUTPUT

4.87kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated fue
Pre-cast flue



CONTROLS

Top manual,
electronic on
black/chrome model only



FIRE TYPE

Radiant outset






													
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	FIRE TYPE	COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	FIRE TYPE
Teak/olive	89%	4.87kW	Natural gas	Brick chimney Pre fabricated fue Pre-cast flue	Top manual	Radiant outset	Black/chrome	81%	4.0kW	Natural gas	Brick chimney Pre fabricated fue Pre-cast flue	Top electronic	Radiant outset



Sahara - pewter/chrome



WALL HEATERS



COLOUR OPTIONS

Bronze/brass,
Pewter/brass,
Pewter/chrome



EFFICIENCY

88%



MAX HEAT OUTPUT

4.78kW



FUEL TYPE

Natural gas



CHIMNEY TYPE

Brick chimney
Pre fabricated fue
Pre-cast flue



CONTROLS

Top manual
electronic -
Pewter/chrome only



FIRE TYPE

Radiant outlet



Brazilia F5 - beige



COLOUR OPTIONS
Beige



EFFICIENCY
81%



MAX HEAT OUTPUT
1.5kW



FUEL TYPE
Natural gas & LPG
LPG kit - X-5110284



CHIMNEY TYPE
No chimney required



CONTROLS
Manual



FIRE TYPE
Wall heater



Brazilia F5S - beige/oak



COLOUR OPTIONS
Beige/oak



EFFICIENCY
81%



MAX HEAT OUTPUT
1.5kW



FUEL TYPE
Natural gas & LPG
LPG kit - X-5110284



CHIMNEY TYPE
No chimney required



CONTROLS
Manual



FIRE TYPE
Wall heater



Brazilia F8S - beige/oak

							
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	FLUE	FIRE TYPE
Beige/oak	82%	2.26kW	Natural gas & LPG LPG kit - X-5110285	No chimney required	Manual	381-483mm - X-243857 520-610mm - X-243848	Wall heater



Brazilia F8S - beige/oak

							
COLOUR OPTIONS	EFFICIENCY	MAX HEAT OUTPUT	FUEL TYPE	CHIMNEY TYPE	CONTROLS	FLUE	FIRE TYPE
Beige/oak	82%	2.26kW	Natural gas	No chimney required	Manual	381-483mm - X-243857 520-610mm - X-243848	Wall heater

TECHNICAL INFORMATION

TRIM OPTIONS ALLURE & TRUEFLAME

TRUEFLAME HALF TRIM




Brass



Chrome

ALLURE INLAY TRIM



Black / Brass



Black / Brushed chrome



Black / Chrome

TRUEFLAME FULL TRIM




Brass



Chrome

ALLURE FULL TRIM



Brass



Black



Brushed chrome



Chrome

FRET OPTIONS ALLURE & TRUEFLAME



Alton Black



Alton Brass




Bauhaus Black



Bauhaus Brass



Blenheim Black



Blenheim Brass



Clifton Black



Clifton Brass



Downton Black



Downton Brass



Alton Brushed chrome



Alton Chrome



Bauhaus Brushed chrome



Bauhaus Chrome



Blenheim Brushed chrome



Blenheim Chrome



Clifton Brushed chrome



Clifton Chrome




Downton Brushed chrome



Downton Chrome

WHAT TYPE OF CHIMNEY DOES YOUR HOME HAVE?

Look at the pictures and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check in the features section of the page under 'Chimney Type', to see if it's suitable for the chimney at your property.




NO CHIMNEY (NC)

Even if you have no chimney or flue we have a selection of fires for you. Our balanced flue fires are the solution here.




BRICK CHIMNEY (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



PRE-FABRICATED FLUE (PF)

Suitable for most fires, dependent on the flue depth and diameter



PRE-CAST FLUE (PCF)

Suitable for a wide range of slimline, outset & radiant gas fires


WHAT TYPE OF FIRE DO YOU WANT?

FULL DEPTH HIGH EFFICIENCY

Efficiency: 75-85%
Natural Gas

BC PF PCF NC
● ● ● ●

Living flame effect
High output
Choice of designs
Glass fronted




SLIMLINE HIGH EFFICIENCY

Efficiency: 80%
Natural Gas

BC PF PCF NC
● ● ● ●

Living flame effect
High output
Choice of designs
Glass fronted



SLIMLINE INSET

Efficiency: 56%
Natural Gas / LPG

BC PF PCF NC
● ● ● ●

Living flame effect
Choice of designs
Open fronted




DECORATIVE GAS FIRE

Natural Gas / LPG

BC PF PCF NC
● ● ● ●

Living flame effect
Decorative 'real' fire look
Open fronted




FULL DEPTH CONVECTOR

Efficiency: 64.5%
Natural Gas / LPG

BC PF PCF NC
● ● ● ●

Living flame effect
High output
Choice of designs
Open fronted




SLIMLINE CONVECTOR

Efficiency: 61%
Natural Gas / LPG

BC PF PCF NC
● ● ● ●

Living flame effect
High output
Choice of designs
Open fronted




BALANCED FLUE

Efficiency: 84 - 88%
Natural Gas

BC PF PCF NC
● ● ● ●

No chimney needed
Living flame effect
High output
Glass fronted




GAS STOVES

Efficiency: 77-81%
Natural Gas / LPG

BC PF PCF NC
● ● ● ●

Living flame effect
High output
Choice of designs



CONTROLS

MANUAL CONTROL



Can be found discreetly behind the fender of Inset gas fires. Located on top or side of outset/radiant fires

TOUCH CONTROL



The side positioned touch control enables easy operation

FIRESLIDE



Turn on/off or up/down from easy to use sliding control

REMOTE



Control from the comfort of your armchair. Available on Allure models


CONVECTOR v HIGH EFFICIENCY

OUTSET

Efficiency: 78-88%
Natural Gas

BC PF PCF NC
● ● ● ●

Living flame effect
High output
Choice of designs




RADIANT

Efficiency: 81-89%
Natural Gas

BC PF PCF NC
● ● ● ●

Radiant effect
High output
Choice of designs



CONVECTOR

Convector fires give out radiant heat as they are open fronted but also draw in cold air from the room, pass it through a heat exchanger to warm it up and then circulate it back around the room. The result is that the room is heated much faster than by radiant heat alone.




HIGH EFFICIENCY

Valor's dedicated research and development facility combines the latest technology with innovative techniques to ensure our products offer the highest possible efficiency. Our High Efficiency range of gas fires are amongst some of the most efficient gas fires available and will help you save on running costs while our balanced flue and radiant gas fires also offer impressive efficiencies.

FIREPLACE OPENINGS

	Height (mm)		Width (mm)		Depth (mm)	
Product Name	Min	Max	Min	Max	Min	Max
Allure FD Convector	555	575	405	457	285	-
Trueflame FD Convector	555	575	405	457	285	-
Trueflame FD High Efficiency	555	575	405	457	225	-
Blenheim SL Hotbox	535	575	335	435	200	-
Classica FD High Efficiency	555	575	405	457	225	-
Dream FD Convector	555	575	405	457	285	-
Dream SL Convector	545	575	335	435	235	-
Dream FD High Efficiency	555	575	405	457	225	-
Dream SL High Efficiency	540	580	305	430	115	-
Dream Balanced Flue	Refer to Installation Instructions					
Excelsior FD Convector	555	575	405	457	285	-
Excelsior SL Convector	545	575	335	435	235	-
Excelsior FD High Efficiency	555	575	405	457	225	-
Excelsior SL High Efficiency	540	580	305	430	115	-
Excelsior Balanced Flue	Refer to Installation Instructions					
Masquerade FD Convector	555	575	405	457	285	-
Masquerade SL Convector	545	575	335	435	235	-
Masquerade FD High Efficiency	555	575	405	457	225	-
Masquerade SL High Efficiency	540	580	305	430	115	-
Masquerade Balanced Flue	Refer to Installation Instructions					
Harmony FD High Efficiency	555	575	405	457	225	-
Majestic Decorative	460	560	380	-	193	-
Modenza High Efficiency	450	460	600	635	340	-
Petrus FD High Efficiency	555	575	405	457	225	-
Petrus SL High Efficiency	540	580	305	430	115	-
Seattle SL Hotbox	535	575	335	435	200	-
Brunswick Gas Stove	Refer to Installation Instructions					
Ridlington Gas Stove	Refer to Installation Instructions					

	Height (mm)		Width (mm)		Depth (mm)	
Product Name	Min	Max	Min	Max	Min	Max
Black Beauty Slimline	550	610	305	432	165	-
Firecharm LFE	508	640	300	457	165	-
Firecharm RS	Refer to Installation Instructions					
Heartbeat	550	610	305	432	165	-
Sahara LFE	508	640	300	457	165	-
Valentia Balanced Flue	Refer to Installation Instructions					
Black Beauty Radiant	525	610	305	440	165	-
Brava Radiant	544	610	305	440	165	-
Firelite Radiant	525	610	305	440	165	-
Firegem Visa	438	650	305	440	165	-
Firegem Visa Deluxe	438	650	305	440	165	-
Firegem Visa Highline	508	650	305	440	165	-
Firegem Visa Highline Deluxe	508	650	305	440	165	-
Helmsley Radiant	525	610	305	440	165	-
Sahara Radiant	441	630	305	457	165	-



Note - For further details on the requirements for our range of balanced flue gas fires, stoves and wallheaters, please refer to the installation instructions.

Important Notice - All dimensions stated within the above table are intended as guidance only. Please refer to the installation instructions before commencing any building work.

Fire Surrounds - Most of the fire surrounds featured in this brochure were supplied by Trent Fireplaces. For further information, please visit www.trent-fireplaces.co.uk or call 0115 979 0330.

Product Name	Type	Min	Max	Heat Input (kWh)		Nett Efficiency	Control Type	Chimney / Flue Type				Mounting	Dimensions (HxWxD*)
				Min	Max			Brick	Pre-Fab	Pre-Cast	None		
Allure FD Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide/Manual/Remote	✓	†✓	✗	✗	Hearth	615 x 506 x 235mm
Trueflame FD Convector Full Trim	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	✓	†✓	✗	✗	Hearth	621 x 522 x 235mm
Trueflame FD Convector Half Trim	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	✓	†✓	✗	✗	Hearth	610 x 500 x 235mm
Trueflame FD High Efficiency Full Trim	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth	621 x 522 x 186mm
Trueflame FD High Efficiency Half Trim	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth	610 x 500 x 186mm
Blenheim SL Hotbox	Gas	1.3	3.1	2.3	6.0	56%	Manual	✓	✓	✓	✗	Hearth	585 x 450 x 115mm
Classica FD High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth	631 x 540 x 186mm
Dream FD Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	✓	†✓	✗	✗	Hearth	636 x 518 x 235mm
Dream SL Convector	Gas	1.35	3.3	2.7	6.0	61%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 135mm
Dream FD High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth	636 x 518 x 186mm
Dream SL High Efficiency	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Dream Balanced Flue >	Gas	1.1	2.8	1.5	3.65	84%	Top side	✗	✗	✗	✓	Hearth	636 x 518 x 110mm
Excelsior FD Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	✓	†✓	✗	✗	Hearth	636 x 518 x 235mm
Excelsior SL Convector	Gas	1.35	3.3	2.7	6.0	61%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 135mm
Excelsior FD High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth	636 x 518 x 186mm
Excelsior SL High Efficiency	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Excelsior Balanced Flue >	Gas	1.1	2.8	1.5	3.65	84%	Top Side	✗	✗	✗	✓	Hearth	636 x 518 x 110mm
Masquerade FD Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	✓	†✓	✗	✗	Hearth	636 x 518 x 235mm
Masquerade SL Convector	Gas	1.35	3.3	2.7	6.0	61%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 135mm
Masquerade FD High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth	636 x 518 x 186mm
Masquerade SL High Efficiency	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Masquerade Balanced Flue >	Gas	1.1	2.8	1.5	3.65	84%	Top Side	✗	✗	✗	✓	Hearth	636 x 518 x 110mm
Harmony FD High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth & Wall	631 x 546 x 186mm
Majestic Decorative	Gas	n/a	n/a	2.3	6.85	n/a	Manual	✓	✓	✗	✗	Hearth	n/a x 380 x 193mm
Modenza High Efficiency	Gas	1.8	3.8	2.7	5.6	75%	Fireslide	✓	✗	✗	✗	Hearth & Wall	470 x 646 x 293mm
Petrus FD High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	✓	†✓	✗	✗	Hearth	636 x 518 x 186mm
Petrus SL High Efficiency	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Seattle SL Hotbox	Gas	1.3	3.1	2.3	6.0	56%	Manual	✓	✓	✓	✗	Hearth	588 x 450 x 115mm
Brunswick Gas Stove	Gas	1.6	4.0	2.3	5.5	81%	Manual	✓	✗	✗	✗	Hearth	630 x 390 x 440mm
Ridlington Gas Stove Manual	Gas	1.6	4.7	2.3	6.85	77%	Manual	✓	✗	✗	✗	Hearth	650 x 530 x 415mm
Ridlington Gas Stove Remote	Gas	2.3	4.7	3.5	6.85	77%	Remote	✓	✗	✗	✗	Hearth	650 x 530 x 415mm

* Engine Depth

Important notice: All dimensions stated within the specification table are intended as guidance only. Please consult installation instructions before commencing any building work. The right to change specification without prior notice is reserved. No liability is accepted for problems caused by poor installation or misuse of product.

Product Name	Type	Min	Max	Heat Input (kWh)		Nett Efficiency	Control Type	Chimney / Flue Type				Mounting	Dimensions (HxWxD*)
				Min	Max			Brick	Pre-Fab	Pre-Cast	None		
Black Beauty Slimline	Gas	1.2	4.0	1.55	5.05	88%	Side manual	✓	✓	✓	✗	Hearth & wall	655 x 657 x 247mm
Firecharm LFE	Gas	0.83	4.4	1.55	5.57	88%	Top electronic	✓	✓	✓	✗	Hearth & wall	635 x 650 x 241mm
Firecharm RS	Gas	1.5	3.57	1.0	4.5	88%	Top electronic	✗	✗	✗	✓	Hearth & wall	633 x 646 x 273mm
Heartbeat	Gas	1.0	3.6	1.55	5.05	78%	Side manual	✓	✓	✓	✗	Hearth & wall	643 x 632 x 212mm
Sahara LFE Electronic	Gas	0.83	4.4	1.55	5.57	88%	Top electronic	✓	✓	✓	✗	Hearth & wall	643 x 727 x 250mm
Valentia Balanced Flue	Gas	1.5	3.57	1.0	4.5	88%	Top electronic	✗	✗	✗	✓	Hearth & wall	633 x 646 x 273mm
Black Beauty Radiant	Gas	1.0	4.0	1.57	5.5	81%	Top manual & electronic	✓	✓	✓	✗	Hearth & wall	625 x 657 x 204mm
Brava Radiant	Gas	1.0	4.0	1.57	5.5	81%	Top manual & electronic	✓	✓	✓	✗	Hearth & wall	610 x 713 x 193mm
Firelite Radiant	Gas	1.0	4.0	1.57	5.5	81%	Top manual & electronic	✓	✓	✓	✗	Hearth & wall	633 x 620 x 205mm
Firegem Visa	Gas	1.1	4.87	1.55	6.04	89%	Top manual	✓	✓	✓	✗	Hearth & wall	540 x 660 x 196mm
Firegem Visa Deluxe	Gas	1.1	4.87	1.55	6.04	89%	Top manual	✓	✓	✓	✗	Hearth & wall	556 x 695 x 198mm
Firegem Visa Highline	Gas	1.1	4.87	1.55	6.04	89%	Top manual & electronic	✓	✓	✓	✗	Hearth & wall	622 x 660 x 196mm
Firegem Visa Highline Deluxe	Gas	1.1	4.87	1.55	6.04	89%	Top manual	✓	✓	✓	✗	Hearth & wall	638 x 695 x 198mm
Helmsley Radiant	Gas	1.0	4.0	1.57	5.5	81%	Top electronic	✓	✓	✓	✗	Hearth & wall	630 x 657 x 225mm
Sahara Radiant	Gas	1.1	4.78	1.55	6.04	88%	Top manual & electronic	✓	✓	✓	✗	Hearth & wall	643 x 727 x 232mm
Brazilia F5	Gas	0.57	1.5	0.86	2.05	81%	Manual	N/A	N/A	N/A	✓	Wall mounted	394 x 426 x 126mm
Brazilia F5S	Gas	0.57	1.5	0.86	2.05	81%	Manual	N/A	N/A	N/A	✓	Wall mounted	394 x 450 x 128mm
Brazilia F8S	Gas	0.8	2.26	1.27	3.06	82%	Manual	N/A	N/A	N/A	✓	Wall mounted	430 x 516 x 152mm
Brazilia F8ST	Gas	0.6	2.26	1.5	3.06	82%	Manual	N/A	N/A	N/A	✓	Wall mounted	430 x 516 x 170mm

* Engine Depth

KEY TO TECHNICAL TABLE

Hearth & Wall Can be hearth or wall mounted – fret is not separate.

Hearth Can be hearth or wall mounted. If wall mounted the fire would require a small plinth to support the fret which is not attached to the main fire.
NB: Please note that the fires which are highlighted as ‘Hearth’ are intended for floor level installation with a back panel and hearth. If raised some of the inner workings of the fire may become more visible than intended.

† These fires are suitable for most pre-fabricated flues dependent on the flue depth and diameter. Please refer to the installation instructions to ensure that this fire is compatible.

> Inset balanced flue fires can be installed inset/semi-inset into the wall cavity with the 3” spacer, or flat against the wall with the 5” spacer.

Note: Due to the sheer number of varying flue boxes and pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. If the width at the rear of the pre-cast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm.



Our products carry the CE and/or UKCA mark complying with safety standards.



Our products are made in accordance with Quality Management System Standard ISO 9001.





Valor is a part of the Glen Dimplex Group
Millbrook House, Grange Drive, Hedge End, Southampton SO30 2DF

T 0344 879 3588 **W** www.valor.co.uk



Terms & Conditions Valor's policy is one of continual improvement and development. The right to change specification without prior notice is reserved, therefore the actual product may change and so the image shown may not be an exact representation. All images within the brochure were correct at time of print. Reproduction of colours is as accurate as photographic processes will allow. Though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information. The statutory rights of the consumer are not affected. No liability will be accepted for problems caused by poor installation or misuse of the product.